A

Abducens nerve
Bilateral abducens nerve paresis associated with anti-GQ1b IgG antibody, 816

Modified transposition procedure of the vertical recti in sixth nerve palsy, 359

***Acanthamoeba* keratitis**
Acanthamoeba keratitis associated with fungal keratitis, 508

Adenocarcinoma
Gastric signet ring cell adenocarcinoma metastatic to the iris, 379

Age-Related Eye Disease Study
The Age-Related Eye Disease Study (AREDS) system for classifying cataracts from photographs: AREDS Report No. 4, 167

AGN 192024
Effects of AGN 192024, a new ocular hypotensive agent, on aqueous dynamics, 19

Air infusion
Evaluation of retinal damage induced by air/fluid exchange using a trypan blue inclusion test in rabbits, 814

Amaurosis fugax
Light-induced amaurosis fugax, 674

Aminoquinolines
Analysis of the *ABCR (ABCA4)* gene in 4-aminoquinoline retinopathy: Is retinal toxicity by chloroquine and hydroxychloroquine related to Stargardt disease?, 761

Amniotic membrane
Multilayered amniotic membrane transplantation for severe ulceration of the cornea and sclera, 324

Anesthesia
Cataract surgery performed with continuous positive airway pressure (CPAP) ventilation, 128

Globe perforation associated with subtenon's anesthesia, 520

Angioid streaks
Macular translocation for subfoveal choroidal neovascularization in angioid streaks, 390

Animal studies
Effect of Ca^{2+}-free and Mg^{2+}-free BSS Plus solution on the retinal pigment epithelium and retina in rabbits, 481

Effects of topical unoprostone and latanoprost on acute and recurrent herpetic keratitis in the rabbit, 643

Evaluation of retinal damage induced by air/fluid exchange using a trypan blue inclusion test in rabbits, 814

Experimental laser-assisted in situ keratomileusis induces the reactivation of latent herpes simplex virus, 506

Antibodies
Bilateral abducens nerve paresis associated with anti-GQ1b IgG antibody, 816

Ocular features associated with anticardiolipin antibodies: a descriptive study, 451

Retinal anti-bipolar cell antibodies in a patient with paraneoplastic retinopathy and colon carcinoma, 806

Antiphospholipid syndrome
Ocular features associated with anticardiolipin antibodies: a descriptive study, 451

Reversal of nonarteritic anterior ischemic optic neuropathy associated with coexisting primary antiphospholipid syndrome and factor V Leiden mutation, 671

Antiretroviral therapy
Leber hereditary optic neuropathy associated with antiretroviral therapy for human immunodeficiency virus infections, 143

Resolution of microsporidial keratoconjunctivitis in an AIDS patient treated with highly active antiretroviral therapy, 378

Aortic valve
Central retinal artery occlusion as the initial sign of aortic valve papillary fibroelastoma, 667

Apolipoprotein E
Local cellular sources of apolipoprotein E in the human retina and retinal pigmented epithelium: implications for the process of drusen formation, 767

Aqueous humor
The effect of topical povidone–iodine, intraocular vancomycin, or both on aqueous humor cultures at the time of cataract surgery, 293

Effects of AGN 192024, a new ocular hypotensive agent, on aqueous dynamics, 19

Aspiration, needle
Aspiration cytology of metastatic chordoma to the orbit, 279

Needle aspiration and endodiathermy treatment of epithelial inclusion cyst of the iris, 263

Astigmatism
The effects of astigmatism and working distance on optic nerve head images using a Heidelberg retina tomograph scanning laser ophthalmoscope, 716

Microkeratome-induced reduction of astigmatism after penetrating keratoplasty, 507

B

Behçet's disease
Guidelines for the use of immunosuppressive drugs in patients with ocular inflammatory disorders: recommendations of an expert panel (correspondence), 679

Biomicroscopy
Demonstration of retroiridal extension of an epithelial membrane by ultrasound biomicroscopy: a clinicopathologic correlation, 654

Ultrasound biomicroscopic diagnosis of cyclitic membranes, 446

Blepharoptosis
Alternating ptosis after bilateral frontalis muscle suspension for congenital ptosis, 815

Blindness
Light-induced amaurosis fugax, 674

Monocular blindness as a complication of trigeminal radiofrequency rhizotomy, 237

Blood flow velocity
Acute effect of latanoprost on pulsatile ocular blood flow in normal eyes, 198

Effect of sildenafil citrate (Viagra) on the ocular circulation, 751

 © 2001 BY ELSEVIER SCIENCE INC. ALL RIGHTS RESERVED.

Blood vessels
Multiple arterial ectasias in patients with sarcoidosis and uveitis, 223

Orbital venous-lymphatic malformations (lymphangiomas) mimicking cavernous hemangiomas, 364

Sickle cell disease presenting with extensive peri-macular arteriolar occlusions in a nine-year-old boy, 275

Bone marrow transplantation
Central serous chorioretinopathy after bone marrow transplantation, 804

Books, Software, and Electronic Media
Allergic Disease of the Eye, by Abelson, M. B., 534

The Blue Line Incision and Refractive Phacoemulsification, by Buzard, K. A., Friedlander, M. H., and Febbraro, J.-L., 683

Cataract Surgery in Complicated Cases, by Buratto, L., Osher, R. H., and Masket, S. (eds.), 533

Clinical Guide to Comprehensive Ophthalmology, by Lee, D. A., and Higginbotham, E. J. (eds.), 408

Clinical Pathways in Glaucoma, by Zimmerman, T. J., and Kooner, K. S. (eds.), 822

Companion Handbook to The Cornea, Second Edition, by Kaufman, H. E., Barron, B. A., McDonald, M. B., and Kaufman, S. C. (eds.), 680

Complex Cases with LASIK. Advanced Techniques and Complication Management, by Probst, L. E. (ed.), 405

Current Ocular Therapy, 5th Edition, by Fraunfelder, F. T., and Roy, F. H. (eds.), 682

Diagnostic Atlas of Orbital Diseases, by Dutton, J. J., Byrne, S. F., and Proia, A. D., 681

Foldable Intraocular Lenses—Evolution Clinicopathologic Correlations, and Complications, by Apple, D. J., Auffarth, G. U., and Visessook, N., 684

Glaucoma, The Requisites in Ophthalmology, by Alward, W. L. M., 682

Handbook of LASIK Surgery, by Vajpayee, R. B., Dada, T., Snibson, G. R., and Taylor, H., 530

Handbook of Ocular Infections, Inflammation, and External Diseases, by Bohigian, G. M., and Valluri, S., 681

LASIK Complications: Prevention and Management, 2nd Edition, by Gimbel, H. V., and Anderson Penno, E. E., 532

The Neurology of Eye Movements, Third Edition, by Leigh, R. J., and Zee, D. S., 408

Neuro-ophthalmology, The Requisites in Ophthalmology, by Martin, T. J., and Corbett, J. J. (eds.), 534

Neuro-ophthalmology—Diagnosis and Management, by Liu, G. T., Volpe, N. J., and Baletta, S. L., 532

Ophthalmic Fundamentals: Glaucoma, by Sassani, J. W. (ed.), 405

Ophthalmology: An Illustrated Color Text, by Batterbury, M., and Bowling, B., 409

A Practical Guide to Minimal Surgery for Retinal Detachment, Volume 2, by Kreissig, I., 530

Pterygium, by Taylor, H. R. (ed.), 821

Pterygium Surgery, by Buratto, L., Phillips, R., and Carito, G. (eds.), 821

The Shape of Glaucoma. Quantitative Neural Imaging Techniques, by Lemij, H. G., and Schuman, J. S. (eds.), 821

Viscoelastics in Ophthalmic Surgery, by Buratto, L., Giardini, P., and Bellucci, R. (eds.), 531

Brazil
A follow-up study of *Toxoplasma gondii* infection in Southern Brazil, 351

Brimonidine
Brimonidine 0.2% given two or three times daily versus timolol maleate 0.5% in primary open-angle glaucoma, 719

The efficacy and safety of latanoprost 0.005% once daily versus brimonidine 0.2% twice daily in open-angle glaucoma or ocular hypertension, 631

Washout periods for brimonidine 0.2% and latanoprost 0.005%, 798

Brown syndrome
Extraocular muscle cysticercosis presenting as Brown syndrome, 526

C

Calcium
Effect of Ca^{2+}-free and Mg^{2+}-free BSS Plus solution on the retinal pigment epithelium and retina in rabbits, 481

Capsulotomy
Probability of Nd:YAG laser capsulotomy after cataract surgery in Olmsted County, Minnesota, 161

Carcinoma
Gastric signet ring cell adenocarcinoma metastatic to the iris, 379

Primary cutaneous adenoid cystic carcinoma of the eyelid, 281

Cardiolipin
Ocular features associated with anticardiolipin antibodies: a descriptive study, 451

Carotid arteries
Horner's syndrome and dissection of the internal carotid artery after chiropractic manipulation of the neck, 523

Internal carotid artery hypoplasia presenting as anterior ischemic optic neuropathy, 673

Light-induced amaurosis fugax, 674

Cataract
The Age-Related Eye Disease Study (AREDS) system for classifying cataracts from photographs: AREDS Report No. 4, 167

Pseudoexfoliation and posterior capsular opacification (correspondence), 820

Cataract extraction
Acute full-thickness macular hole after uncomplicated phacoemulsification cataract surgery, 799

Cataract surgery performed with continuous positive airway pressure (CPAP) ventilation, 128

The effect of topical povidone–iodine, intraocular vancomycin, or both on aqueous humor cultures at the time of cataract surgery, 293

Modified technique of haptic externalization for scleral fixation of dislocated posterior chamber lens implants, 129

Phacoemulsification cataract extraction and posterior chamber lens implantation in patients with uveitis, 620

Probability of Nd:YAG laser capsulotomy after cataract surgery in Olmsted County, Minnesota, 161

Vancomycin prophylaxis and emerging resistance: Are ophthalmologists the villains? the heroes?, 371

Cellulitis
Orbital cellulitis caused by *Fusobacterium necrophorum*, 280

Child
Frosted branch angiitis in a child with HIV infection, 394
Sickle cell disease presenting with extensive peri-macular arteriolar occlusions in a nine-year-old boy, 275
Use of the HARK autorefractor in children, 438
Visual loss in children with neurofibromatosis type 1 and optic pathway gliomas: relation to tumor location by magnetic resonance imaging, 442

Chloroquine
Analysis of the *ABCR (ABCA4)* gene in 4-aminoquinoline retinopathy: Is retinal toxicity by chloroquine and hydroxychloroquine related to Stargardt disease?, 761

Chordoma
Aspiration cytology of metastatic chordoma to the orbit, 279
Ectopic chordoma with orbital invasion, 400

Choroid
Central serous chorioretinopathy after bone marrow transplantation, 804
Choroidal folds and increased intraocular pressure (correspondence), 158
Solitary nonreactive choroidal tuberculoma in a patient with acquired immune deficiency syndrome, 138

Choroidal neoplasms
Absence of type I estrogen receptors in choroidal melanoma: analysis of Collaborative Ocular Melanoma Study (COMS) eyes, 788
Bilateral breast metastases from choroidal melanoma, 521
Extramedullary plasmacytoma confined to the choroid, 277
Totally necrotic choroidal and ciliary body melanomas: associations with prognosis, episcleritis, and scleritis, 232

Choroidal neovascularization
Initial experience of inferior limited macular translocation for subfoveal choroidal neovascularization resulting from causes other than age-related macular degeneration, 90
Macular translocation for subfoveal choroidal neovascularization in angioid streaks, 390
Retinal pigment epithelial tear after photodynamic therapy for choroidal neovascularization, 518
Retinal pigment epithelial tear after transpupillary thermotherapy for choroidal neovascularization, 662
Transient formed visual hallucinations following macular translocation for subfoveal choroidal neovascularization secondary to age-related macular degeneration, 664
Translocation of the macula for management of subfoveal choroidal neovascularization: comparison of results in age-related macular degeneration and degenerative myopia, 78
Verteporfin therapy of subfoveal choroidal neovascularization in age-related macular degeneration: two-year results of a randomized clinical trial including lesions with occult with no classic choroidal neovascularization—Verteporfin in Photodynamic Therapy Report 2, 541
Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

Cidofovir
The ganciclovir implant plus oral ganciclovir versus parenteral cidofovir for the treatment of cytomegalovirus retinitis in patients with acquired immunodeficiency syndrome: The Ganciclovir Cidofovir Cytomegalovirus Retinitis Trial, 457

Ciliary body
Totally necrotic choroidal and ciliary body melanomas: associations with prognosis, episcleritis, and scleritis, 232

Ciprofloxacin
Pseudomonas aeruginosa in vitro corneal isolate sensitivity to ofloxacin, ciprofloxacin, and trovafloxacin: a comparative study, 795

Clinical trials
Randomized clinical trials in ophthalmology in 2001; twenty-fifth anniversary of the first publication from the Diabetic Retinopathy Study (editorial), 503
Verteporfin therapy of subfoveal choroidal neovascularization in age-related macular degeneration: two-year results of a randomized clinical trial including lesions with occult with no classic choroidal neovascularization—Verteporfin in Photodynamic Therapy Report 2, 541

Coats disease
Classification and management of Coats disease: the 2000 Proctor Lecture, 572
Clinical variations and complications of Coats disease in 150 cases: the 2000 Sanford Gifford Memorial Lecture, 561

Cocaine
Duration of positive urine for cocaine metabolite after ophthalmic administration: implications for testing patients with suspected Horner syndrome using ophthalmic cocaine, 742

Collaborative Ocular Melanoma Study
Absence of type I estrogen receptors in choroidal melanoma: analysis of Collaborative Ocular Melanoma Study (COMS) eyes, 788

Colon neoplasms
Retinal anti-bipolar cell antibodies in a patient with paraneoplastic retinopathy and colon carcinoma, 806

Conjunctival neoplasms
Conjunctival T-cell lymphoma caused by human T-cell lymphotrophic virus infection, 381

Conjunctivitis, allergic
Clinical evaluation of twice-daily emedastine 0.05% eye drops (emadine eye drops) versus levocabastine 0.05% eye drops in patients with allergic conjunctivitis, 691

Contact lenses
Epithelial pigment slide in contact lens wearers: a possible marker for contact lens-associated stress on corneal epithelium, 431

Copper
Ocular deposition of copper associated with multiple myeloma, 257

Cornea
Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry (correspondence), 403, 528
Epithelial infectious crystalline keratopathy, 255
Increased incidence of corneal perforation after topical fluoroquinolone treatment for microbial keratitis, 131
New corneal findings in human T-cell lymphotrophic virus type I infection, 309

Corneal neoplasms
Amelanotic corneal melanoma after a blast injury, 259

Corneal ulcer
Multilayered amniotic membrane transplantation for severe ulceration of the cornea and sclera, 324

Corrections
Elevated vitreous nitric oxide levels in patients, 130:87; correction, 159

Optic disk and retinal nerve fiber layer damage after transient central retinal artery occlusion: an experimental study in rhesus monkeys, 129:786; correction, 159

Cortisone
Intravitreal injection of crystalline cortisone as adjunctive treatment of proliferative diabetic retinopathy, 468

Cryoglobulinemia
Cryoglobulinemia associated with Purtscher-like retinopathy, 802

Curvularia lunata
Curvularia lunata endophthalmitis with secondary keratitis, 140

Cyclitic membranes
Ultrasound biomicroscopic diagnosis of cyclitic membranes, 446

CYP1B1 gene
Cytochrome P-450 1B1 gene mutations in Japanese patients with primary congenital glaucoma, 345

Cyst
Needle aspiration and endodiathermy treatment of epithelial inclusion cyst of the iris, 263

Cysticercosis
Extraocular muscle cysticercosis presenting as Brown syndrome, 526

Cytochrome P-450
Cytochrome P-450 1B1 gene mutations in Japanese patients with primary congenital glaucoma, 345

Cytology
Aspiration cytology of metastatic chordoma to the orbit, 279

Cytomegalovirus retinitis
The ganciclovir implant plus oral ganciclovir versus parenteral cidofovir for the treatment of cytomegalovirus retinitis in patients with acquired immunodeficiency syndrome: The Ganciclovir Cidofovir Cytomegalovirus Retinitis Trial, 457

High-dose intravitreal ganciclovir and foscarnet for cytomegalovirus retinitis, 396

D

Dalén-Fuchs nodules
Depigmented atrophic lesions in sunset glow fundi of Vogt-Koyanagi-Harada disease, 607

Denervation
Duane's syndrome with compressive denervation of the lateral rectus muscle, 146

Diabetes mellitus
Echographic evaluation of a patient with diabetes and dense vitreous hemorrhage: an avulsed retinal vessel may mimic a tractional retinal detachment, 515

Glycemic control and lens transparency in patients with type 1 diabetes mellitus, 301

Macular traction detachment and diabetic macular edema associated with posterior hyaloidal traction, 44

The role of vitrectomy in the treatment of diabetic macular edema (editorial), 123

Tomographic findings of foveal hard exudates in diabetic macular edema, 50

Diabetic retinopathy
Intravitreal injection of crystalline cortisone as adjunctive treatment of proliferative diabetic retinopathy, 468

Randomized clinical trials in ophthalmology in 2001; twenty-fifth anniversary of the first publication from the Diabetic Retinopathy Study (editorial), 503

Diathermy
Needle aspiration and endodiathermy treatment of epithelial inclusion cyst of the iris, 263

Dilatation, pathologic
Multiple arterial ectasias in patients with sarcoidosis and uveitis, 223

Disinfection
Disinfection of Goldmann tonometers after contamination with hepatitis C virus, 184

Drug-induced conditions
Analysis of the *ABCR (ABCA4)* gene in 4-aminoquinoline retinopathy: Is retinal toxicity by chloroquine and hydroxychloroquine related to Stargardt disease?, 761

Increased incidence of corneal perforation after topical fluoroquinolone treatment for microbial keratitis, 131

Retinopathy associated with high-dose interferon alfa-2b therapy, 782

Tamoxifen retinopathy in a male patient, 386

Drug therapy
Guidelines for the use of immunosuppressive drugs in patients with ocular inflammatory disorders: recommendations of an expert panel (correspondence), 679

Leber hereditary optic neuropathy associated with antiretroviral therapy for human immunodeficiency virus infections, 143

Resolution of microsporidial keratoconjunctivitis in an AIDS patient treated with highly active antiretroviral therapy, 378

Vancomycin prophylaxis and emerging resistance: Are ophthalmologists the villains? the heroes?, 371

Dry eye syndrome
Efficacy and tolerability outcomes after punctal occlusion with silicone plugs in dry eye syndrome, 30

Duane retraction syndrome
Duane's syndrome with compressive denervation of the lateral rectus muscle, 146

E

Ectasias, arterial
Multiple arterial ectasias in patients with sarcoidosis and uveitis, 223

Education
Ophthalmology resident training in refractive surgery (editorial), 241

Electric stimulation therapy
Horner syndrome associated with implantation of a vagus nerve stimulator, 383

Electroretinography
Autosomal dominant inheritance of a negative electroretinogam phenotype in three generations, 495

On- and off-responses of the photopic electroretinograms in X-linked juvenile retinoschisis, 489

Emedastine
Clinical evaluation of twice-daily emedastine 0.05% eye drops (emadine eye drops) versus levocabastine 0.05% eye drops in patients with allergic conjunctivitis, 691

Endophthalmitis
Curvularia lunata endophthalmitis with secondary keratitis, 140

Microspaeropsis olivacea keratitis and consecutive endophthalmitis, 142

Retinal vasculitis and posterior pole "hypopyons" as early signs of acute bacterial endophthalmitis, 800

Endothelium, corneal
Effects of laser in situ keratomileusis (LASIK) on the corneal endothelium 3 years postoperatively, 1

Epiphora
Treatment of nasolacrimal duct obstruction in adults with polyurethane stent, 37

Episcleritis
Totally necrotic choroidal and ciliary body melanomas: associations with prognosis, episcleritis, and scleritis, 232

Epithelial cysts
Needle aspiration and endodiathermy treatment of epithelial inclusion cyst of the iris, 263

Epithelium, corneal
Demonstration of retroiridal extension of an epithelial membrane by ultrasound biomicroscopy: a clinicopathologic correlation, 654

Epithelial infectious crystalline keratopathy, 255

Epithelial ingrowth after laser in situ keratomileusis (correspondence), 402

Epithelial pigment slide in contact lens wearers: a possible marker for contact lens-associated stress on corneal epithelium, 431

Microkeratome-based limbal harvester for limbal stem cell transplantation: preliminary studies, 377

Estrogens
Absence of type I estrogen receptors in choroidal melanoma: analysis of Collaborative Ocular Melanoma Study (COMS) eyes, 788

Exfoliation
Pseudoexfoliation and posterior capsular opacification (correspondence), 820

Exotropia
Prism adaptation response is useful for predicting surgical outcome in selected types of intermittent exotropia, 117

Timely surgery in intermittent and constant exotropia for superior sensory outcome, 111

Exudates
Tomographic findings of foveal hard exudates in diabetic macular edema, 50

Eyeball
Globe perforation associated with subtenon's anesthesia, 520

Eyelid neoplasms
Primary cutaneous adenoid cystic carcinoma of the eyelid, 281

F

Factor V Leiden
Reversal of nonarteritic anterior ischemic optic neuropathy associated with coexisting primary antiphospholipid syndrome and factor V Leiden mutation, 671

Fibroelastoma
Central retinal artery occlusion as the initial sign of aortic valve papillary fibroelastoma, 667

Filtering blebs
Glaucoma filtering bleb dysesthesia, 626

Fluid–gas exchange
Evaluation of retinal damage induced by air/fluid exchange using a trypan blue inclusion test in rabbits, 814

Pars plana vitrectomy, subretinal injection of tissue plasminogen activator, and fluid–gas exchange for displacement of thick submacular hemorrhage in age-related macular degeneration, 208

Fluorescein angiography
Fluorescein angiographic findings in ocular siderosis, 136

Fluoroquinolones
Increased incidence of corneal perforation after topical fluoroquinolone treatment for microbial keratitis, 131

Pseudomonas aeruginosa in vitro corneal isolate sensitivity to ofloxacin, ciprofloxacin, and trovafloxacin: a comparative study, 795

Foreign bodies
Fluorescein angiographic findings in ocular siderosis, 136

Foscarnet
High-dose intravitreal ganciclovir and foscarnet for cytomegalovirus retinitis, 396

Fovea centralis
Tomographic findings of foveal hard exudates in diabetic macular edema, 50

Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

Frequency doubling
Diagnostic capabilities of frequency-doubling technology, scanning laser polarimetry, and nerve fiber layer photographs to distinguish glaucomatous damage, 188

Frequency-doubling perimetry using a liquid crystal display, 332

Role of frequency doubling perimetry in detecting neuro-ophthalmic visual field defects, 734

Frontalis muscle
Alternating ptosis after bilateral frontalis muscle suspension for congenital ptosis, 815

Fundus oculi
Depigmented atrophic lesions in sunset glow fundi of Vogt-Koyanagi-Harada disease, 607

Fusobacterium necrophorum
Orbital cellulitis caused by *Fusobacterium necrophorum*, 280

G

Ganciclovir
The ganciclovir implant plus oral ganciclovir versus parenteral cidofovir for the treatment of cytomegalovirus retinitis in patients with acquired immunodeficiency syndrome: The Ganciclovir Cidofovir Cytomegalovirus Retinitis Trial, 457

High-dose intravitreal ganciclovir and foscarnet for cytomegalovirus retinitis, 396

Genetics
Analysis of the *ABCR (ABCA4)* gene in 4-aminoquinoline retinopathy: Is retinal toxicity by chloroquine and hydroxychloroquine related to Stargardt disease?, 761

Autosomal dominant inheritance of a negative electroretinogam phenotype in three generations, 495

Axial length and refractive error in X-linked retinoschisis, 812

Cytochrome P-450 1B1 gene mutations in Japanese patients with primary congenital glaucoma, 345

Dominant radial drusen and Arg345Trp *EFEMP1* mutation, 810

Retinopathy associated with Machado-Joseph disease (spinocerebellar ataxia 3) with CAG trinucleotide repeat expansion, 808

The *Taa*1 restriction enzyme provides a simple means to identify the Q368STOP mutation of the myocilin gene in primary open angle glaucoma, 510

Two families from New England with Usher syndrome type IC with distinct haplotypes, 355

Gifford Memorial Lecture

Clinical variations and complications of Coats disease in 150 cases: the 2000 Sanford Gifford Memorial Lecture, 561

Glaucoma

Acute primary angle-closure: long-term intraocular pressure outcome in Asian eyes, 7

Additive efficacy of unoprostone isopropyl 0.12% (Rescula) to latanoprost 0.005%, 339

Brimonidine 0.2% given two or three times daily versus timolol maleate 0.5% in primary open-angle glaucoma, 719

Cytochrome P-450 1B1 gene mutations in Japanese patients with primary congenital glaucoma, 345

Diagnostic capabilities of frequency-doubling technology, scanning laser polarimetry, and nerve fiber layer photographs to distinguish glaucomatous damage, 188

The efficacy and safety of latanoprost 0.005% once daily versus brimonidine 0.2% twice daily in open-angle glaucoma or ocular hypertension, 631

Frequency-doubling perimetry using a liquid crystal display, 332

Glaucoma filtering bleb dysesthesia, 626

Hypothyroidism and glaucoma. A study of 100 hypothyroid patients, 126

Mini-trabeculectomy in eyes with high risk of scarring: midterm follow-up, 13

A randomized double-masked crossover study comparing latanoprost 0.005% with unoprostone 0.12% in patients with primary open-angle glaucoma and ocular hypertension, 636

Risk factors for progression of visual field abnormalities in normal-tension glaucoma, 699

Should we use short-wavelength automated perimetry to test glaucoma patients? (editorial), 792

T cell subsets and sIL-2R/IL-2 levels in patients with glaucoma, 421

The *Taa*1 restriction enzyme provides a simple means to identify the Q368STOP mutation of the myocilin gene in primary open angle glaucoma, 510

Glucose levels

Glycemic control and lens transparency in patients with type 1 diabetes mellitus, 301

Granuloma

Evolution of sarcoid granulomas of the retina, 661

Granulomatous kerato-conjunctivitis as a manifestation of Hodgkin lymphoma, 796

Guillain-Barré syndrome

An association between Vogt-Koyanagi-Harada disease and Guillain-Barré syndrome, 615

Gunn's jaw-winking phenomenon

A case of Marcus Gunn jaw-winking and pseudo inferior oblique overaction, 148

H

Hallucinations

Transient formed visual hallucinations following macular translocation for subfoveal choroidal neovascularization secondary to age-related macular degeneration, 664

Visual hallucination in patients with retinal disease, 590

Haptics

Modified technique of haptic externalization for scleral fixation of dislocated posterior chamber lens implants, 129

Heart neoplasms

Central retinal artery occlusion as the initial sign of aortic valve papillary fibroelastoma, 667

Hemangioma, cavernous

Orbital venous-lymphatic malformations (lymphangiomas) mimicking cavernous hemangiomas, 364

Primary intraosseous cavernous hemangioma of the orbit, 150

Hemorrhage

Delayed orbital hemorrhage after routine strabismus surgery, 818

Echographic evaluation of a patient with diabetes and dense vitreous hemorrhage: an avulsed retinal vessel may mimic a tractional retinal detachment, 515

Malattia leventinese presenting with subretinal neovascular membrane and hemorrhage, 517

Pars plana vitrectomy, subretinal injection of tissue plasminogen activator, and fluid–gas exchange for displacement of thick submacular hemorrhage in age-related macular degeneration, 208

Vitrectomy for pars planitis complicated by vitreous hemorrhage: visual outcome and long-term follow-up, 514

Hepatitis

Disinfection of Goldmann tonometers after contamination with hepatitis C virus, 184

Herpes simplex

Experimental laser-assisted in situ keratomileusis induces the reactivation of latent herpes simplex virus, 506

Herpes zoster ophthalmicus

Longitudinal analysis of varicella-zoster virus DNA on the ocular surface associated with herpes zoster ophthalmicus, 25

HIV infection

Frosted branch angiitis in a child with HIV infection, 394

The ganciclovir implant plus oral ganciclovir versus parenteral cidofovir for the treatment of cytomegalovirus retinitis in patients with acquired immunodeficiency syndrome: The Ganciclovir Cidofovir Cytomegalovirus Retinitis Trial, 457

High-dose intravitreal ganciclovir and foscarnet for cytomegalovirus retinitis, 396

Leber hereditary optic neuropathy associated with antiretroviral therapy for human immunodeficiency virus infections, 143

Resolution of microsporidial keratoconjunctivitis in an AIDS

patient treated with highly active antiretroviral therapy, 378

Retinal nerve fiber layer evaluation in human immunodeficiency virus–positive patients, 216

Solitary nonreactive choroidal tuberculoma in a patient with acquired immune deficiency syndrome, 138

HLA antigens

The association of HLA class II with pars planitis, 657

Hodgkin disease

Granulomatous kerato-conjunctivitis as a manifestation of Hodgkin lymphoma, 796

Homocysteine

Hyperhomocysteinemia: a risk factor for central retinal vein occlusion (correspondence), 290

Horner syndrome

Duration of positive urine for cocaine metabolite after ophthalmic administration: implications for testing patients with suspected Horner syndrome using ophthalmic cocaine, 742

Horner syndrome associated with implantation of a vagus nerve stimulator, 383

Horner's syndrome and dissection of the internal carotid artery after chiropractic manipulation of the neck, 523

HTLV-I infection

Conjunctival T-cell lymphoma caused by human T-cell lymphotrophic virus infection, 381

A description of human T-lymphotropic virus type I–related chronic interstitial keratitis in 20 patients, 305

New corneal findings in human T-cell lymphotrophic virus type I infection, 309

Hyaloid membrane

Macular traction detachment and diabetic macular edema associated with posterior hyaloidal traction, 44

Hydroxychloroquine

Analysis of the *ABCR (ABCA4)* gene in 4-aminoquinoline retinopathy: Is retinal toxicity by chloroquine and hydroxychloroquine related to Stargardt disease?, 761

Hyperthermia, induced

Retinal pigment epithelial tear after transpupillary thermotherapy for choroidal neovascularization, 662

Hypopyon

Retinal vasculitis and posterior pole "hypopyons" as early signs of acute bacterial endophthalmitis, 800

Hypothyroidism

Hypothyroidism and glaucoma. A study of 100 hypothyroid patients, 126

Hypotony maculopathy

Serous retinal detachment and cystoid macular edema in hypotony maculopathy, 384

I

Immune system

Ocular features associated with anticardiolipin antibodies: a descriptive study, 451

T cell subsets and sIL-2R/IL-2 levels in patients with glaucoma, 421

Immunosuppressive drugs

Guidelines for the use of immunosuppressive drugs in patients with ocular inflammatory disorders: recommendations of an expert panel (correspondence), 679

Indocyanine green

Indocyanine green facilitates removal of epiretinal and internal limiting membranes in myopic eyes with retinal detachment, 388

Indocyanine green selectively stains the internal limiting membrane, 387

Infant

Orbital xanthoma in a 9-month-old infant, 150

Infections

Acanthamoeba keratitis associated with fungal keratitis, 508

Conjunctival T-cell lymphoma caused by human T-cell lymphotrophic virus infection, 381

Curvularia lunata endophthalmitis with secondary keratitis, 140

A description of human T-lymphotropic virus type I–related chronic interstitial keratitis in 20 patients, 305

Disinfection of Goldmann tonometers after contamination with hepatitis C virus, 184

Effects of topical unoprostone and latanoprost on acute and recurrent herpetic keratitis in the rabbit, 643

Epithelial infectious crystalline keratopathy, 255

A follow-up study of *Toxoplasma gondii* infection in Southern Brazil, 351

The ganciclovir implant plus oral ganciclovir versus parenteral cidofovir for the treatment of cytomegalovirus retinitis in patients with acquired immunodeficiency syndrome: The Ganciclovir Cidofovir Cytomegalovirus Retinitis Trial, 457

High-dose intravitreal ganciclovir and foscarnet for cytomegalovirus retinitis, 396

Increased incidence of corneal perforation after topical fluoroquinolone treatment for microbial keratitis, 131

Leber hereditary optic neuropathy associated with antiretroviral therapy for human immunodeficiency virus infections, 143

Longitudinal analysis of varicella-zoster virus DNA on the ocular surface associated with herpes zoster ophthalmicus, 25

Microspaeropsis olivacea keratitis and consecutive endophthalmitis, 142

Multiple arterial ectasias in patients with sarcoidosis and uveitis, 223

New corneal findings in human T-cell lymphotrophic virus type I infection, 309

Orbital cellulitis caused by *Fusobacterium necrophorum*, 280

Parinaud's oculoglandular syndrome attributable to an encounter with a wild rabbit, 283

Pseudomonas aeruginosa in vitro corneal isolate sensitivity to ofloxacin, ciprofloxacin, and trovafloxacin: a comparative study, 795

Resolution of microsporidial keratoconjunctivitis in an AIDS patient treated with highly active antiretroviral therapy, 378

Retinal nerve fiber layer evaluation in human immunodeficiency virus–positive patients, 216

Retinal vasculitis and posterior pole "hypopyons" as early signs of acute bacterial endophthalmitis, 800

Solitary nonreactive choroidal tuberculoma in a patient with acquired immune deficiency syndrome, 138

Vancomycin prophylaxis and emerging resistance: Are ophthalmologists the villains? the heroes?, 371

Interferons
Retinopathy associated with high-dose interferon alfa-2b therapy, 782

Interleukins
T cell subsets and sIL-2R/IL-2 levels in patients with glaucoma, 421

Intraocular pressure
Acute effect of latanoprost on pulsatile ocular blood flow in normal eyes, 198

Acute primary angle-closure: long-term intraocular pressure outcome in Asian eyes, 7

Additive efficacy of unoprostone isopropyl 0.12% (Rescula) to latanoprost 0.005%, 339

Attempted eyelid closure affects intraocular pressure measurement, 417

Choroidal folds and increased intraocular pressure (correspondence), 158

Effects of AGN 192024, a new ocular hypotensive agent, on aqueous dynamics, 19

Intraoperative complications
Globe perforation associated with subtenon's anesthesia, 520

Iris
Demonstration of retroiridal extension of an epithelial membrane by ultrasound biomicroscopy: a clinicopathologic correlation, 654

Gastric signet ring cell adenocarcinoma metastatic to the iris, 379

Needle aspiration and endodiathermy treatment of epithelial inclusion cyst of the iris, 263

J

Japan
Cytochrome P-450 1B1 gene mutations in Japanese patients with primary congenital glaucoma, 345

Jaw-winking phenomenon
A case of Marcus Gunn jaw-winking and pseudo inferior oblique overaction, 148

K

Keratectomy, photorefractive, excimer laser
Macular hole after laser in situ keratomileusis and photorefractive keratectomy, 666

Keratitis
Acanthamoeba keratitis associated with fungal keratitis, 508

Curvularia lunata endophthalmitis with secondary keratitis, 140

A description of human T-lymphotropic virus type I–related chronic interstitial keratitis in 20 patients, 305

Effects of topical unoprostone and latanoprost on acute and recurrent herpetic keratitis in the rabbit, 643

Increased incidence of corneal perforation after topical fluoroquinolone treatment for microbial keratitis, 131

Microspaeropsis olivacea keratitis and consecutive endophthalmitis, 142

Keratoconjunctivitis
Granulomatous kerato-conjunctivitis as a manifestation of Hodgkin lymphoma, 796

Resolution of microsporidial keratoconjunctivitis in an AIDS patient treated with highly active antiretroviral therapy, 378

Keratoconus
Postkeratoplasty keratoconus in a nonkeratoconus patient, 653

Keratomileusis, laser in situ
Effects of laser in situ keratomileusis (LASIK) on the corneal endothelium 3 years postoperatively, 1

Epithelial ingrowth after laser in situ keratomileusis (correspondence), 402

Experimental laser-assisted in situ keratomileusis induces the reactivation of latent herpes simplex virus, 506

Laser in situ keratomileusis: association with increased width of palpebral fissure, 254

Late-onset traumatic laser in situ keratomileusis (LASIK) flap dehiscence, 505

Macular hole after laser in situ keratomileusis and photorefractive keratectomy, 666

Ophthalmology resident training in refractive surgery (editorial), 241

Keratoplasty, penetrating
Autologous ipsilateral rotating penetrating keratoplasty, 427

Microkeratome-induced reduction of astigmatism after penetrating keratoplasty, 507

Postkeratoplasty keratoconus in a nonkeratoconus patient, 653

Small, overlapping tectonic keratoplasty involving graft host junction of penetrating keratoplasty (correspondence), 290

L

Lacrimal glands
Rosai–Dorfman disease presenting as bilateral lacrimal gland enlargement, 677

Lacrimal point
The effect of punctal occlusion on tear production, tear clearance, and ocular surface sensation in normal subjects, 314

Efficacy and tolerability outcomes after punctal occlusion with silicone plugs in dry eye syndrome, 30

Lasers
Diagnostic capabilities of frequency-doubling technology, scanning laser polarimetry, and nerve fiber layer photographs to distinguish glaucomatous damage, 188

Probability of Nd:YAG laser capsulotomy after cataract surgery in Olmsted County, Minnesota, 161

Latanoprost
Acute effect of latanoprost on pulsatile ocular blood flow in normal eyes, 198

Additive efficacy of unoprostone isopropyl 0.12% (Rescula) to latanoprost 0.005%, 339

Effects of topical unoprostone and latanoprost on acute and recurrent herpetic keratitis in the rabbit, 643

The efficacy and safety of latanoprost 0.005% once daily versus brimonidine 0.2% twice daily in open-angle glaucoma or ocular hypertension, 631

Potential mechanism for the additivity of pilocarpine and latanoprost, 722

A randomized double-masked crossover study comparing latanoprost 0.005% with unoprostone 0.12% in patients with primary open-angle glaucoma and ocular hypertension, 636

Washout periods for brimonidine 0.2% and latanoprost 0.005%, 798

Lens capsule, crystalline

Glycemic control and lens transparency in patients with type 1 diabetes mellitus, 301

Probability of Nd:YAG laser capsulotomy after cataract surgery in Olmsted County, Minnesota, 161

Lens implantation, intraocular

Acrylic intraocular lens placement in conjunction with pars plana vitrectomy, 748

Dislocated intraocular lens fixation using intraocular cowhitch knot, 265

Modified technique of haptic externalization for scleral fixation of dislocated posterior chamber lens implants, 129

Phacoemulsification cataract extraction and posterior chamber lens implantation in patients with uveitis, 620

Pigmentary dispersion syndrome induced by a posterior chamber phakic refractive lens, 260

Levocabastine

Clinical evaluation of twice-daily emedastine 0.05% eye drops (emadine eye drops) versus levocabastine 0.05% eye drops in patients with allergic conjunctivitis, 691

Light

Light-induced amaurosis fugax, 674

Limbus corneae

Microkeratome-based limbal harvester for limbal stem cell transplantation: preliminary studies, 377

Limiting membrane, internal

Indocyanine green facilitates removal of epiretinal and internal limiting membranes in myopic eyes with retinal detachment, 388

Indocyanine green selectively stains the internal limiting membrane, 387

Treatment of retinal detachment resulting from myopic macular hole with internal limiting membrane removal, 203

Lipoarabinomannan

A case of multiple sclerosis with granulomatous uveitis in Japan—Use of the antilipoarabinomannan (LAM)-B test in differential diagnosis, 524

Lymphangioma

Orbital venous-lymphatic malformations (lymphangiomas) mimicking cavernous hemangiomas, 364

Lymphoma

Conjunctival T-cell lymphoma caused by human T-cell lymphotrophic virus infection, 381

M

Machado-Joseph disease

Retinopathy associated with Machado-Joseph disease (spinocerebellar ataxia 3) with CAG trinucleotide repeat expansion, 808

Macula lutea

Sickle cell disease presenting with extensive peri-macular arteriolar occlusions in a nine-year-old boy, 275

Vitreoretinal traction maculopathy caused by retinal diseases, 134

Macular degeneration

Correction of cyclovertical strabismus induced by limited macular translocation in a case of age-related macular degeneration, 270

Pars plana vitrectomy, subretinal injection of tissue plasminogen activator, and fluid–gas exchange for displacement of thick submacular hemorrhage in age-related macular degeneration, 208

Retinal pigment epithelial cell transplantation after subfoveal membranectomy in age-related macular degeneration: clinicopathologic correlation, 472

Transient formed visual hallucinations following macular translocation for subfoveal choroidal neovascularization secondary to age-related macular degeneration, 664

Translocation of the macula for management of subfoveal choroidal neovascularization: comparison of results in age-related macular degeneration and degenerative myopia, 78

Verteporfin therapy of subfoveal choroidal neovascularization in age-related macular degeneration: two-year results of a randomized clinical trial including lesions with occult with no classic choroidal neovascularization—Verteporfin in Photodynamic Therapy Report 2, 541

Macular edema

Macular traction detachment and diabetic macular edema associated with posterior hyaloidal traction, 44

Perimetric sensitivity and retinal thickness in eyes with macular edema resulting from branch retinal vein occlusion, 55

The role of vitrectomy in the treatment of diabetic macular edema (editorial), 123

Serous retinal detachment and cystoid macular edema in hypotony maculopathy, 384

Tomographic findings of foveal hard exudates in diabetic macular edema, 50

Macular translocation

Correction of cyclovertical strabismus induced by limited macular translocation in a case of age-related macular degeneration, 270

Initial experience of inferior limited macular translocation for subfoveal choroidal neovascularization resulting from causes other than age-related macular degeneration, 90

Limited macular translocation for the management of subfoveal retinal pigmental epithelial loss after submacular surgery, 272

Macular translocation for subfoveal choroidal neovascularization in angioid streaks, 390

Macular translocation: unifying concepts, terminology, and classification, 244

Transient formed visual hallucinations following macular translocation for subfoveal choroidal neovascularization secondary to age-related macular degeneration, 664

Translocation of the macula for management of subfoveal choroidal neovascularization: comparison of results in age-related macular degeneration and degenerative myopia, 78

Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

Magnesium

Effect of Ca^{2+}-free and Mg^{2+}-free BSS Plus solution on the retinal pigment epithelium and retina in rabbits, 481

Magnetic resonance imaging

Vascular compression as a cause of superior oblique myokymia disclosed by thin-slice magnetic resonance imaging, 676

Visual loss in children with neurofibromatosis type 1 and optic

pathway gliomas: relation to tumor location by magnetic resonance imaging, 442

Malattia leventinese
Dominant radial drusen and Arg345Trp *EFEMP1* mutation, 810

Malattia leventinese presenting with subretinal neovascular membrane and hemorrhage, 517

Manipulation, spinal
Horner's syndrome and dissection of the internal carotid artery after chiropractic manipulation of the neck, 523

Margherio, Raymond R.
Obituary, 292

Melanoma
Absence of type I estrogen receptors in choroidal melanoma: analysis of Collaborative Ocular Melanoma Study (COMS) eyes, 788

Amelanotic corneal melanoma after a blast injury, 259

Bilateral breast metastases from choroidal melanoma, 521

Totally necrotic choroidal and ciliary body melanomas: associations with prognosis, episcleritis, and scleritis, 232

Microspaeropsis olivacea
Microspaeropsis olivacea keratitis and consecutive endophthalmitis, 142

Microsporidia
Resolution of microsporidial keratoconjunctivitis in an AIDS patient treated with highly active antiretroviral therapy, 378

Minnesota
Probability of Nd:YAG laser capsulotomy after cataract surgery in Olmsted County, Minnesota, 161

Multiple myeloma
Ocular deposition of copper associated with multiple myeloma, 257

Multiple sclerosis
A case of multiple sclerosis with granulomatous uveitis in Japan—Use of the antilipoarabinomannan (LAM)-B test in differential diagnosis, 524

Muscles, extraocular
A case of Marcus Gunn jaw-winking and pseudo inferior oblique overaction, 148

Duane's syndrome with compressive denervation of the lateral rectus muscle, 146

Extraocular muscle cysticercosis presenting as Brown syndrome, 526

Modified transposition procedure of the vertical recti in sixth nerve palsy, 359

Vascular compression as a cause of superior oblique myokymia disclosed by thin-slice magnetic resonance imaging, 676

Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

Myocilin gene
The *Taa*1 restriction enzyme provides a simple means to identify the Q368STOP mutation of the myocilin gene in primary open angle glaucoma, 510

Myokymia
Vascular compression as a cause of superior oblique myokymia disclosed by thin-slice magnetic resonance imaging, 676

Myopia
Indocyanine green facilitates removal of epiretinal and internal limiting membranes in myopic eyes with retinal detachment, 388

Translocation of the macula for management of subfoveal choroidal neovascularization: comparison of results in age-related macular degeneration and degenerative myopia, 78

Treatment of retinal detachment resulting from myopic macular hole with internal limiting membrane removal, 203

Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

Myotonic dystrophy
Bilateral optic nerve atrophy in myotonic dystrophy, 398

N

Nasolacrimal duct
Treatment of nasolacrimal duct obstruction in adults with polyurethane stent, 37

Necrosis
Totally necrotic choroidal and ciliary body melanomas: associations with prognosis, episcleritis, and scleritis, 232

Neoplasms
Absence of type I estrogen receptors in choroidal melanoma: analysis of Collaborative Ocular Melanoma Study (COMS) eyes, 788

Amelanotic corneal melanoma after a blast injury, 259

Aspiration cytology of metastatic chordoma to the orbit, 279

Bilateral breast metastases from choroidal melanoma, 521

Central retinal artery occlusion as the initial sign of aortic valve papillary fibroelastoma, 667

Conjunctival T-cell lymphoma caused by human T-cell lymphotrophic virus infection, 381

Ectopic chordoma with orbital invasion, 400

Extramedullary plasmacytoma confined to the choroid, 277

Gastric signet ring cell adenocarcinoma metastatic to the iris, 379

Granulomatous kerato-conjunctivitis as a manifestation of Hodgkin lymphoma, 796

Orbital xanthoma in a 9-month-old infant, 150

Primary cutaneous adenoid cystic carcinoma of the eyelid, 281

Primary intraosseous cavernous hemangioma of the orbit, 150

Retinal anti-bipolar cell antibodies in a patient with paraneoplastic retinopathy and colon carcinoma, 806

Solitary nonreactive choroidal tuberculoma in a patient with acquired immune deficiency syndrome, 138

Totally necrotic choroidal and ciliary body melanomas: associations with prognosis, episcleritis, and scleritis, 232

Visual loss in children with neurofibromatosis type 1 and optic pathway gliomas: relation to tumor location by magnetic resonance imaging, 442

Neovascular membrane
Malattia leventinese presenting with subretinal neovascular membrane and hemorrhage, 517

Nerve fiber layer
Diagnostic capabilities of frequency-doubling technology, scanning laser polarimetry, and nerve fiber layer photographs to distinguish glaucomatous damage, 188

Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry (correspondence), 403, 528

Evaluation of the retinal nerve fiber layer thickness in eyes with idiopathic macular holes, 756

Retinal nerve fiber layer evaluation in human immunodeficiency virus–positive patients, 216

Neurofibromatosis 1

Visual loss in children with neurofibromatosis type 1 and optic pathway gliomas: relation to tumor location by magnetic resonance imaging, 442

Neurologic disorders

Role of frequency doubling perimetry in detecting neuro-ophthalmic visual field defects, 734

New England

Two families from New England with Usher syndrome type IC with distinct haplotypes, 355

O

Obituary

Margherio, Raymond R., 292

Ocular hypertension

The efficacy and safety of latanoprost 0.005% once daily versus brimonidine 0.2% twice daily in open-angle glaucoma or ocular hypertension, 631

Incidence and prevalence of short wavelength automated perimetry deficits in ocular hypertensive patients, 709

Potential mechanism for the additivity of pilocarpine and latanoprost, 722

A randomized double-masked crossover study comparing latanoprost 0.005% with unoprostone 0.12% in patients with primary open-angle glaucoma and ocular hypertension, 636

Ofloxacin

Pseudomonas aeruginosa in vitro corneal isolate sensitivity to ofloxacin, ciprofloxacin, and trovafloxacin: a comparative study, 795

Ophthalmic solutions

Acute effect of latanoprost on pulsatile ocular blood flow in normal eyes, 198

Additive efficacy of unoprostone isopropyl 0.12% (Rescula) to latanoprost 0.005%, 339

Brimonidine 0.2% given two or three times daily versus timolol maleate 0.5% in primary open-angle glaucoma, 719

Clinical evaluation of twice-daily emedastine 0.05% eye drops (emadine eye drops) versus levocabastine 0.05% eye drops in patients with allergic conjunctivitis, 691

Duration of positive urine for cocaine metabolite after ophthalmic administration: implications for testing patients with suspected Horner syndrome using ophthalmic cocaine, 742

Effects of AGN 192024, a new ocular hypotensive agent, on aqueous dynamics, 19

Effects of Ca^{2+}-free and Mg^{2+}-free BSS Plus solution on the retinal pigment epithelium and retina in rabbits, 481

The effects of topical povidone–iodine, intraocular vancomycin, or botb on aqueous humor cultures at the time of cataract surgery, 293

Effects of topical unoprostone and latanoprost on acute and recurrent herpetic keratitis in the rabbit, 643

The efficacy and safety of latanoprost 0.005% once daily versus brimonidine 0.2% twice daily in open-angle glaucoma or ocular hypertension, 631

High-dose intravitreal ganciclovir and foscarnet for cytomegalovirus retinitis, 396

Potential mechanism for the additivity of pilocarpine and latanoprost, 722

A randomized double-masked crossover study comparing latanoprost 0.005% with unoprostone 0.12% in patients with primary open-angle glaucoma and ocular hypertension, 636

Washout periods for brimonidine 0.2% and latanoprost 0.005%, 798

Ophthalmology

Ophthalmology resident training in refractive surgery (editorial), 241

Randomized clinical trials in ophthalmology in 2001; twenty-fifth anniversary of the first publication from the Diabetic Retinopathy Study (editorial), 503

Vancomycin prophylaxis and emerging resistance: Are ophthalmologists the villains? the heroes?, 371

Ophthalmoscopy

The effects of astigmatism and working distance on optic nerve head images using a Heidelberg retina tomograph scanning laser ophthalmoscope, 716

Optic atrophies, hereditary

Leber hereditary optic neuropathy associated with antiretroviral therapy for human immunodeficiency virus infections, 143

Optic disk

The effects of astigmatism and working distance on optic nerve head images using a Heidelberg retina tomograph scanning laser ophthalmoscope, 716

Optic nerve

Bilateral optic nerve atrophy in myotonic dystrophy, 398

Silicone oil–associated optic nerve degeneration, 392

Optic nerve glioma

Visual loss in children with neurofibromatosis type 1 and optic pathway gliomas: relation to tumor location by magnetic resonance imaging, 442

Optic neuropathy, ischemic

Internal carotid artery hypoplasia presenting as anterior ischemic optic neuropathy, 673

Reversal of nonarteritic anterior ischemic optic neuropathy associated with coexisting primary antiphospholipid syndrome and factor V Leiden mutation, 671

Orbit

Delayed orbital hemorrhage after routine strabismus surgery, 818

A new surgical technique for the management of orbital fat prolapse, 267

Orbital cellulitis caused by *Fusobacterium necrophorum*, 280

Orbital venous-lymphatic malformations (lymphangiomas) mimicking cavernous hemangiomas, 364

Orbital neoplasms

Aspiration cytology of metastatic chordoma to the orbit, 279

Ectopic chordoma with orbital invasion, 400

Orbital xanthoma in a 9-month-old infant, 150

Primary intraosseous cavernous hemangioma of the orbit, 150

P

Palpebral fissure
Laser in situ keratomileusis: association with increased width of palpebral fissure, 254

Paresthesia
Glaucoma filtering bleb dysesthesia, 626

Parinaud syndrome
Parinaud's oculoglandular syndrome attributable to an encounter with a wild rabbit, 283

Pars plana
Acrylic intraocular lens placement in conjunction with pars plana vitrectomy, 748

The association of HLA class II with pars planitis, 657

Pars plana vitrectomy, subretinal injection of tissue plasminogen activator, and fluid–gas exchange for displacement of thick submacular hemorrhage in age-related macular degeneration, 208

Vitrectomy for pars planitis complicated by vitreous hemorrhage: visual outcome and long-term follow-up, 514

Perimetry
Diagnostic capabilities of frequency-doubling technology, scanning laser polarimetry, and nerve fiber layer photographs to distinguish glaucomatous damage, 188

Frequency-doubling perimetry using a liquid crystal display, 332

Incidence and prevalence of short-wavelength automated perimetry deficits in ocular hypertensive patients, 709

Perimetric sensitivity and retinal thickness in eyes with macular edema resulting from branch retinal vein occlusion, 55

Role of frequency doubling perimetry in detecting neuro-ophthalmic visual field defects, 734

Should we use short-wavelength automated perimetry to test glaucoma patients? (editorial), 792

Phacoemulsification
Acute full-thickness macular hole after uncomplicated phacoemulsification cataract surgery, 799

Phacoemulsification cataract extraction and posterior chamber lens implantation in patients with uveitis, 620

Phospholipids
Ocular features associated with anticardiolipin antibodies: a descriptive study, 451

Reversal of nonarteritic anterior ischemic optic neuropathy associated with coexisting primary antiphospholipid syndrome and factor V Leiden mutation, 671

Photochemotherapy
Retinal pigment epithelial tear after photodynamic therapy for choroidal neovascularization, 518

Verteporfin therapy of subfoveal choroidal neovascularization in age-related macular degeneration: two-year results of a randomized clinical trial including lesions with occult with no classic choroidal neovascularization—Verteporfin in Photodynamic Therapy Report 2, 541

Photography
The Age-Related Eye Disease Study (AREDS) system for classifying cataracts from photographs: AREDS Report No. 4, 167

Diagnostic capabilities of frequency-doubling technology, scanning laser polarimetry, and nerve fiber layer photographs to distinguish glaucomatous damage, 188

Pigment epithelium of eye
Depigmented atrophic lesions in sunset glow fundi of Vogt-Koyanagi-Harada disease, 607

Effect of Ca^{2+}-free and Mg^{2+}-free BSS Plus solution on the retinal pigment epithelium and retina in rabbits, 481

Epithelial pigment slide in contact lens wearers: a possible marker for contact lens-associated stress on corneal epithelium, 431

Limited macular translocation for the management of subfoveal retinal pigmental epithelial loss after submacular surgery, 272

Local cellular sources of apolipoprotein E in the human retina and retinal pigmented epithelium: implications for the process of drusen formation, 767

Retinal pigment epithelial cell transplantation after subfoveal membranectomy in age-related macular degeneration: clinicopathologic correlation, 472

Retinal pigment epithelial tear after photodynamic therapy for choroidal neovascularization, 518

Retinal pigment epithelial tear after transpupillary thermotherapy for choroidal neovascularization, 662

Pigmentary dispersion syndrome
Pigmentary dispersion syndrome induced by a posterior chamber phakic refractive lens, 260

Pilocarpine
Potential mechanism for the additivity of pilocarpine and latanoprost, 722

Plasmacytoma
Extramedullary plasmacytoma confined to the choroid, 277

Polarimetry
Diagnostic capabilities of frequency-doubling technology, scanning laser polarimetry, and nerve fiber layer photographs to distinguish glaucomatous damage, 188

Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry (correspondence), 403, 528

Vitreous opacities affecting scanning laser polarimetry measurements, 511

Postoperative complications
Acute full-thickness macular hole after uncomplicated phacoemulsification cataract surgery, 799

Delayed orbital hemorrhage after routine strabismus surgery, 818

Late-onset traumatic laser in situ keratomileusis (LASIK) flap dehiscence, 505

Limited macular translocation for the management of subfoveal retinal pigmental epithelial loss after submacular surgery, 272

Microkeratome-induced reduction of astigmatism after penetrating keratoplasty, 507

Monocular blindness as a complication of trigeminal radiofrequency rhizotomy, 237

Postkeratoplasty keratoconus in a nonkeratoconus patient, 653

Povidone–iodine
The effect of topical povidone–iodine, intraocular vancomycin, or both on aqueous humor cultures at the time of cataract surgery, 293

Prism adaptation test
Prism adaptation response is useful for predicting surgical outcome in selected types of intermittent exotropia, 117

Proctor Lecture
Classification and management of Coats disease: the 2000 Proctor Lecture, 572

Prognosis
Complications and prognostic factors in Vogt-Koyanagi-Harada disease, 599

Totally necrotic choroidal and ciliary body melanomas: associations with prognosis, episcleritis, and scleritis, 232

Pseudoexfoliation
Pseudoexfoliation and posterior capsular opacification (correspondence), 820

Pseudomonas aeruginosa
Pseudomonas aeruginosa in vitro corneal isolate sensitivity to ofloxacin, ciprofloxacin, and trovafloxacin: a comparative study, 795

Pterygium
The prevalence and risk factors for pterygium in an adult Chinese population in Singapore: the Tanjong Pagar survey, 176

Pulmonary ventilation
Cataract surgery performed with continuous positive airway pressure (CPAP) ventilation, 128

Punctum lacrimale
The effect of punctal occlusion on tear production, tear clearance, and ocular surface sensation in normal subjects, 314

Efficacy and tolerability outcomes after punctal occlusion with silicone plugs in dry eye syndrome, 30

Purpura, thrombotic thrombocytopenic
Central retinal vein occlusion in a patient with thrombotic thrombocytopenic purpura, 669

Purtscher retinopathy
Cryoglobulinemia associated with Purtscher-like retinopathy, 802

R

Radiofrequency rhizotomy
Monocular blindness as a complication of trigeminal radiofrequency rhizotomy, 237

Refraction, ocular
Use of the HARK autorefractor in children, 438

Refractive errors
Axial length and refractive error in X-linked retinoschisis, 812

Refractive surgery
Ophthalmology resident training in refractive surgery (editorial), 241

Resident training
Ophthalmology resident training in refractive surgery (editorial), 241

Retina
Analysis of the *ABCR* (*ABCA4*) gene in 4-aminoquinoline retinopathy: Is retinal toxicity by chloroquine and hydroxychloroquine related to Stargardt disease?, 761

Axial length and refractive error in X-linked retinoschisis, 812

Central serous chorioretinopathy after bone marrow transplantation, 804

Cryoglobulinemia associated with Purtscher-like retinopathy, 802

Effect of Ca^{2+}-free and Mg^{2+}-free BSS Plus solution on the retinal pigment epithelium and retina in rabbits, 481

Evaluation of retinal damage induced by air/fluid exchange using a trypan blue inclusion test in rabbits, 814

Local cellular sources of apolipoprotein E in the human retina and retinal pigmented epithelium: implications for the process of drusen formation, 767

Malattia leventinese presenting with subretinal neovascular membrane and hemorrhage, 517

On- and off-responses of the photopic electroretinograms in X-linked juvenile retinoschisis, 489

Perimetric sensitivity and retinal thickness in eyes with macular edema resulting from branch retinal vein occlusion, 55

Retinal anti-bipolar cell antibodies in a patient with paraneoplastic retinopathy and colon carcinoma, 806

Retinopathy associated with high-dose interferon alfa-2b therapy, 782

Retinopathy associated with Machado-Joseph disease (spinocerebellar ataxia 3) with CAG trinucleotide repeat expansion, 808

Tamoxifen retinopathy in a male patient. 386

Vitreoretinal traction maculopathy caused by retinal diseases, 134

Retinal artery occlusion
Central retinal artery occlusion as the initial sign of aortic valve papillary fibroelastoma, 667

Retinal detachment
Indocyanine green facilitates removal of epiretinal and internal limiting membranes in myopic eyes with retinal detachment, 388

Serous retinal detachment and cystoid macular edema in hypotony maculopathy, 384

Spontaneous regression and disappearance of subclinical rhegmatogenous retinal detachment, 269

Treatment of retinal detachment resulting from myopic macular hole with internal limiting membrane removal, 203

Retinal diseases
Classification and management of Coats disease: the 2000 Proctor Lecture, 572

Clinical variations and complications of Coats disease in 150 cases: the 2000 Sanford Gifford Memorial Lecture, 561

Emotional distress in patients with retinal disease, 584

Evolution of sarcoid granulomas of the retina, 661

Visual hallucination in patients with retinal disease, 590

Vitreoretinal traction maculopathy caused by retinal diseases, 134

Retinal drusen
Dominant radial drusen and Arg345Trp *EFEMP1* mutation, 810

Local cellular sources of apolipoprotein E in the human retina and retinal pigmented epithelium: implications for the process of drusen formation, 767

Retinal necrosis syndrome, acute
Same eye recurrence of acute retinal necrosis syndrome, 659

Retinal nerve fiber layer
Diagnostic capabilities of frequency-doubling technology, scanning laser polarimetry, and nerve fiber layer photographs to distinguish glaucomatous damage, 188

Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry (correspondence), 403, 528

Evaluation of the retinal nerve fiber layer thickness in eyes with idiopathic macular holes, 756

Retinal nerve fiber layer evaluation in human immunodeficiency virus–positive patients, 216

Retinal perforations

Acute full-thickness macular hole after uncomplicated phacoemulsification cataract surgery, 799

Evaluation of the retinal nerve fiber layer thickness in eyes with idiopathic macular holes, 756

Macular hole after laser in situ keratomileusis and photorefractive keratectomy, 666

Treatment of retinal detachment resulting from myopic macular hole with internal limiting membrane removal, 203

Retinal vein occlusion

Central retinal vein occlusion in a patient with thrombotic thrombocytopenic purpura, 669

Hyperhomocysteinemia: a risk factor for central retinal vein occlusion (correspondence), 290

Perimetric sensitivity and retinal thickness in eyes with macular edema resulting from branch retinal vein occlusion, 55

Systemic diseases associated with various types of retinal vein occlusion, 61

Retinal vessels

Echographic evaluation of a patient with diabetes and dense vitreous hemorrhage: an avulsed retinal vessel may mimic a tractional retinal detachment, 515

Frosted branch angiitis in a child with HIV infection, 394

Retinitis

The ganciclovir implant plus oral ganciclovir versus parenteral cidofovir for the treatment of cytomegalovirus retinitis in patients with acquired immunodeficiency syndrome: The Ganciclovir Cidofovir Cytomegalovirus Retinitis Trial, 457

High-dose intravitreal ganciclovir and foscarnet for cytomegalovirus retinitis, 396

Retinitis pigmentosa

Vitrectomy for large vitreous opacity in retinitis pigmentosa, 133

Retinotomy

Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

Rhizotomy

Monocular blindness as a complication of trigeminal radiofrequency rhizotomy, 237

Risk factors

Hyperhomocysteinemia: a risk factor for central retinal vein occlusion (correspondence), 290

The prevalence and risk factors for pterygium in an adult Chinese population in Singapore: the Tanjong Pagar survey, 176

Risk factors for progression of visual field abnormalities in normal-tension glaucoma, 699

Rosai–Dorfman disease

Rosai–Dorfman disease presenting as bilateral lacrimal gland enlargement, 677

S

Safety

The efficacy and safety of latanoprost 0.005% once daily versus brimonidine 0.2% twice daily in open-angle glaucoma or ocular hypertension, 631

Sarcoidosis

Evolution of sarcoid granulomas of the retina, 661

Multiple arterial ectasias in patients with sarcoidosis and uveitis, 223

Sclera

Modified technique of haptic externalization for scleral fixation of dislocated posterior chamber lens implants, 129

Multilayered amniotic membrane transplantation for severe ulceration of the cornea and sclera, 324

Scleritis

Totally necrotic choroidal and ciliary body melanomas: associations with prognosis, episcleritis, and scleritis, 232

Sensory status

The effect of punctal occlusion on tear production, tear clearance, and ocular surface sensation in normal subjects, 314

Timely surgery in intermittent and constant exotropia for superior sensory outcome, 111

Sickle cell disease

Sickle cell disease presenting with extensive peri-macular arteriolar occlusions in a nine-year-old boy, 275

Siderosis

Fluorescein angiographic findings in ocular siderosis, 136

Sildenafil citrate

Effect of sildenafil citrate (Viagra) on the ocular circulation, 751

Silicone oil

Silicone oil–associated optic nerve degeneration, 392

Singapore

Acute primary angle-closure: long-term intraocular pressure outcome in Asian eyes, 7

The prevalence and risk factors for pterygium in an adult Chinese population in Singapore: the Tanjong Pagar survey, 176

Spinocerebellar ataxia type 3

Retinopathy associated with Machado-Joseph disease (spinocerebellar ataxia 3) with CAG trinucleotide repeat expansion, 808

Stargardt disease

Analysis of the *ABCR (ABCA4)* gene in 4-aminoquinoline retinopathy: Is retinal toxicity by chloroquine and hydroxychloroquine related to Stargardt disease?, 761

Stem cells

Microkeratome-based limbal harvester for limbal stem cell transplantation: preliminary studies, 377

Stents

Treatment of nasolacrimal duct obstruction in adults with polyurethane stent, 37

Strabismus

Correction of cyclovertical strabismus induced by limited macular translocation in a case of age-related macular degeneration, 270

Delayed orbital hemorrhage after routine strabismus surgery, 818

Prism adaptation response is useful for predicting surgical outcome in selected types of intermittent exotropia, 117

Timely surgery in intermittent and constant exotropia for superior sensory outcome, 111

Stress, psychological
Emotional distress in patients with retinal disease, 584

Surgical instruments
Microkeratome-based limbal harvester for limbal stem cell transplantation: preliminary studies, 377

T

T-lymphocytes
T cell subsets and sIL-2R/IL-2 levels in patients with glaucoma, 421

Tamoxifen
Tamoxifen retinopathy in a male patient, 386

Tears
The effect of punctal occlusion on tear production, tear clearance, and ocular surface sensation in normal subjects, 314

Thyroid disorders
Hypothyroidism and glaucoma. A study of 100 hypothyroid patients, 126

Timolol maleate
Brimonidine 0.2% given two or three times daily versus timolol maleate 0.5% in primary open-angle glaucoma, 719

Tissue plasminogen activator
Pars plana vitrectomy, subretinal injection of tissue plasminogen activator, and fluid–gas exchange for displacement of thick submacular hemorrhage in age-related macular degeneration, 208

Tomography
The effects of astigmatism and working distance on optic nerve head images using a Heidelberg retina tomograph scanning laser ophthalmoscope, 716

Tomographic findings of foveal hard exudates in diabetic macular edema, 50

Tonometry
Disinfection of Goldmann tonometers after contamination with hepatitis C virus, 184

Torsional muscle surgery
Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

Toxoplasma gondii
A follow-up study of *Toxoplasma gondii* infection in Southern Brazil, 351

Trabecular meshwork
Tear in the trabecular meshwork caused by an airsoft gun, 656

Trabeculectomy
Glaucoma filtering bleb dysesthesia, 626

Mini-trabeculectomy in eyes with high risk of scarring: midterm follow-up, 13

Traction
Macular traction detachment and diabetic macular edema associated with posterior hyaloidal traction, 44

Vitreoretinal traction maculopathy caused by retinal diseases, 134

Transplantation
Central serous chorioretinopathy after bone marrow transplantation, 804

Corneal transplantation. *See* Keratoplasty, penetrating

Microkeratome-based limbal harvester for limbal stem cell transplantation: preliminary studies, 377

Multilayered amniotic membrane transplantation for severe ulceration of the cornea and sclera, 324

Retinal pigment epithelial cell transplantation after subfoveal membranectomy in age-related macular degeneration: clinicopathologic correlation, 472

Trauma. *See* Wounds and injuries

Treatment outcome
Effects of laser in situ keratomileusis (LASIK) on the corneal endothelium 3 years postoperatively, 1

Efficacy and tolerability outcomes after punctal occlusion with silicone plugs in dry eye syndrome, 30

Initial experience of inferior limited macular translocation for subfoveal choroidal neovascularization resulting from causes other than age-related macular degeneration, 90

Modified transposition procedure of the vertical recti in sixth nerve palsy, 359

Translocation of the macula for management of subfoveal choroidal neovascularization: comparison of results in age-related macular degeneration and degenerative myopia, 78

Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

Vitrectomy for pars planitis complicated by vitreous hemorrhage: visual outcome and long-term follow-up, 514

Trigeminal neuralgia
Monocular blindness as a complication of trigeminal radiofrequency rhizotomy, 237

Trochlear nerve
Vascular compression as a cause of superior oblique myokymia disclosed by thin-slice magnetic resonance imaging, 676

Trovafloxacin
Pseudomonas aeruginosa in vitro corneal isolate sensitivity to ofloxacin, ciprofloxacin, and trovafloxacin: a comparative study, 795

Trypan blue
Evaluation of retinal damage induced by air/fluid exchange using a trypan blue inclusion test in rabbits, 814

Tuberculoma
Solitary nonreactive choroidal tuberculoma in a patient with acquired immune deficiency syndrome, 138

Tuberculosis
A case of multiple sclerosis with granulomatous uveitis in Japan—Use of the antilipoarabinomannan (LAM)-B test in differential diagnosis, 524

Tularemia
Parinaud's oculoglandular syndrome attributable to an encounter with a wild rabbit, 283

U

Ulcer
Multilayered amniotic membrane transplantation for severe ulceration of the cornea and sclera, 324

Ultrasonography
Demonstration of retroiridal extension of an epithelial membrane by ultrasound biomicroscopy: a clinicopathologic correlation, 654

Echographic evaluation of a patient with diabetes and dense vitreous hemorrhage: an avulsed retinal vessel may mimic a tractional retinal detachment, 515

Ultrasound biomicroscopic diagnosis of cyclitic membranes, 446

Unoprostone

Additive efficacy of unoprostone isopropyl 0.12% (Rescula) to latanoprost 0.005%, 339

Effects of topical unoprostone and latanoprost on acute and recurrent herpetic keratitis in the rabbit, 643

A randomized double-masked crossover study comparing latanoprost 0.005% with unoprostone 0.12% in patients with primary open-angle glaucoma and ocular hypertension, 636

Urine

Duration of positive urine for cocaine metabolite after ophthalmic administration: implications for testing patients with suspected Horner syndrome using ophthalmic cocaine, 742

Usher syndrome

Two families from New England with Usher syndrome type IC with distinct haplotypes, 355

Uveitis

A case of multiple sclerosis with granulomatous uveitis in Japan—Use of the antilipoarabinomannan (LAM)-B test in differential diagnosis, 524

Multiple arterial ectasias in patients with sarcoidosis and uveitis, 223

Phacoemulsification cataract extraction and posterior chamber lens implantation in patients with uveitis, 620

Uveomeningoencephalitic syndrome

An association between Vogt-Koyanagi-Harada disease and Guillain-Barré syndrome, 615

Complications and prognostic factors in Vogt-Koyanagi-Harada disease, 599

Depigmented atrophic lesions in sunset glow fundi of Vogt-Koyanagi-Harada disease, 607

Reversed diagnostic criteria for Vogt-Koyanagi-Harada disease: report of an international committee on nomenclature, 647

V

Vagus nerve

Horner syndrome associated with implantation of a vagus nerve stimulator, 383

Vancomycin

The effect of topical povidone–iodine, intraocular vancomycin, or both on aqueous humor cultures at the time of cataract surgery, 293

Vancomycin prophylaxis and emerging resistance: Are ophthalmologists the villains? the heroes?, 371

Varicella-zoster virus

Longitudinal analysis of varicella-zoster virus DNA on the ocular surface associated with herpes zoster ophthalmicus, 25

Vasculitis

Frosted branch angiitis in a child with HIV infection, 394

Retinal vasculitis and posterior pole "hypopyons" as early signs of acute bacterial endophthalmitis, 800

Ventilators, mechanical

Cataract surgery performed with continuous positive airway pressure (CPAP) ventilation, 128

Verteporfin

Verteporfin therapy of subfoveal choroidal neovascularization in age-related macular degeneration: two-year results of a randomized clinical trial including lesions with occult with no classic choroidal neovascularization—Verteporfin in Photodynamic Therapy Report 2, 541

Virus diseases

AIDS in. *See* HIV infection

A description of human T-lymphotropic virus type I–related chronic interstitial keratitis in 20 patients, 305

Disinfection of Goldmann tonometers after contamination with hepatitis C virus, 184

Effects of topical unoprostone and latanoprost on acute and recurrent herpetic keratitis in the rabbit, 643

Experimental laser-assisted in situ keratomileusis induces the reactivation of latent herpes simplex virus, 506

The ganciclovir implant plus oral ganciclovir versus parenteral cidofovir for the treatment of cytomegalovirus retinitis in patients with acquired immunodeficiency syndrome: The Ganciclovir Cidofovir Cytomegalovirus Retinitis Trial, 457

High-dose intravitreal ganciclovir and foscarnet for cytomegalovirus retinitis, 396

Longitudinal analysis of varicella-zoster virus DNA on the ocular surface associated with herpes zoster ophthalmicus, 25

New corneal findings in human T-cell lymphotrophic virus type I infection, 309

Visual acuity

Complications and prognostic factors in Vogt-Koyanagi-Harada disease, 599

Ocular features associated with anticardiolipin antibodies: a descriptive study, 451

Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

Visual loss in children with neurofibromatosis type 1 and optic pathway gliomas: relation to tumor location by magnetic resonance imaging, 442

Visual fields

Risk factors for progression of visual field abnormalities in normal-tension glaucoma, 699

Role of frequency doubling perimetry in detecting neuro-ophthalmic visual field defects, 734

Vitrectomy

Acrylic intraocular lens placement in conjunction with pars plana vitrectomy, 748

Pars plana vitrectomy, subretinal injection of tissue plasminogen activator, and fluid–gas exchange for displacement of thick submacular hemorrhage in age-related macular degeneration, 208

The role of vitrectomy in the treatment of diabetic macular edema (editorial), 123

Treatment of retinal detachment resulting from myopic macular hole with internal limiting membrane removal, 203

Vitrectomy for large vitreous opacity in retinitis pigmentosa, 133

Vitrectomy for pars planitis complicated by vitreous hemorrhage: visual outcome and long-term follow-up, 514

Vitreous body

Echographic evaluation of a patient with diabetes and dense vitreous hemorrhage: an avulsed retinal vessel may mimic a tractional retinal detachment, 515

Intravitreal injection of crystalline cortisone as adjunctive treatment of proliferative diabetic retinopathy, 468

Vitrectomy for pars planitis complicated by vitreous hemorrhage: visual outcome and long-term follow-up, 514

Vitreoretinal traction maculopathy caused by retinal diseases, 134

Vitreous opacities affecting scanning laser polarimetry measurements, 511

Vogt-Koyanagi-Harada disease

An association between Vogt-Koyanagi-Harada disease and Guillain-Barré syndrome, 615

Complications and prognostic factors in Vogt-Koyanagi-Harada disease, 599

Depigmented atrophic lesions in sunset glow fundi of Vogt-Koyanagi-Harada disease, 607

Reversed diagnostic criteria for Vogt-Koyanagi-Harada disease: report of an international committee on nomenclature, 647

W

Wounds and injuries

Amelanotic corneal melanoma after a blast injury, 259

Late-onset traumatic laser in situ keratomileusis (LASIK) flap dehiscence, 505

Tear in the trabecular meshwork caused by an airsoft gun, 656

X

Xanthoma

Orbital xanthoma in a 9-month-old infant, 150

AUTHOR INDEX

NOTE: Abstract Index follows Author Index

A

AABERG, T. M.: *See* AARON, M. M., 241

AABERG, T. M.: *See* HEJNY, C., 782

AARON, M. M. and AABERG, T. M.: Ophthalmology resident training in refractive surgery (editorial), 241

ABRANTES, P.: *See* VERIN, P. H., 691

ABREU, M. T.: *See* SILVEIRA, C., 351

ABROMS, A. D., MOHNEY, B. G., RUSH, D. P., PARKS, M. M., and TONG, P. Y.: Timely surgery in intermittent and constant exotropia for superior sensory outcome, 111

ADAMUS, G.: *See* JACOBSON, D. M., 806

AGE-RELATED EYE DISEASE STUDY RESEARCH GROUP: The age-related eye disease study (AREDS) system for classifying cataracts from photographs: AREDS report No. 4, 167

AIDS CLINICAL TRIALS GROUP: *See* STUDIES OF OCULAR COMPLICATIONS OF AIDS RESEARCH GROUP, 457

AKIMOTO, M.: *See* KURIMOTO, Y., 756

AKURA, J.: *See* KADONOSONO, K., 203

AL-ABDULLA, N. A., HADDOCK, T. A., KERRISON, J. B., and GOLDBERG, M. F.: Sickle cell disease presenting with extensive perimacular arteriolar occlusions in a nine-year-old boy, 275

ALBERT, D. M.: *See* GROSTERN, R. J., 788

ALDRIDGE, C.: *See* SHEEN, N. J. L., 716

ALFONSO, E. C.: *See* SONG, A., 795

ANAGNOSTE, S.: *See* SMIDDY, W. E., 748

ANDERSON, D. H., OZAKI, S., NEALON, M., NEITZ, J., MULLINS, R. F., HAGEMAN, G. S., and JOHNSON, L. V.: Local cellular sources of apolipoprotein E in the human retina and retinal pigmented epithelium: implications for the process of drusen formation, 767

ANDERSON, D. R.: *See* DRANCE, S., 699

ANG, L. P. *See* AUNG, T., 7

APEL, A. J. G.: *See* VERIN, P. H., 691

ARELLANES-GARCIA, L.: *See* READ, R. W., 647

ARENS, M.: *See* SEGAL, W. A., 184

ARNOLD, A. C.: *See* PARWAR, B. L., 523

ARRINDELL, E. L.: *See* TSAI, J. C., 263

ARSHINOFF, S.: Viscoelastics in Ophthalmic Surgery, by Buratto, P., Giardini, P., and Bellucci, R. (eds.) (book review), 531

ASAMI, T., TERASAKI, H., HIROSE, H., SUZUKI, T., HORIO, N., and MIYAKE, Y.: Vitreoretinal traction maculopathy caused by retinal diseases, 134

ASHENHURST, M.: *See* LEE-WING, M., 677

ASSIA, E.: *See* RUBOWITZ, A., 128

ATEBARA, N. H.: *See* KOKAME, G. T., 129

ATTARIWALA, G.: *See* LEE-WING, M., 677

AU EONG, K.-G.: Current Ocular Therapy, 5th Edition, by Fraunfelder, F. T., and Roy, F. H. (eds.) (book review), 682

AU EONG, K.-G., FUJII, G. Y., NG, E. W. M., HUMAYUN, M. S., PIERAMICI, D. J., and DE JUAN, E.: Transient formed visual hallucinations following macular translocation for subfoveal choroidal neovascularization secondary to age-related macular degeneration, 664

AU EONG, K.-G.: Ophthalmology: An Illustrated Color Text, by Batterbury, M., and Bowling, B. (eds.) (book review), 409

AU EONG, K.-G., PIERAMICI, D. J., FUJII, G. Y., NG, E. W. M., HUMAYUN, M. S., MAIA, M., HARLAN, J. B., SCHACHAT, A. P., BEATTY, S., TOTH, C. A., THOMAS, M. A., LEWIS, H., ECKARDT, C., TANO, Y., and DE JUAN E.: Macular translocation: unifying concepts, terminology, and classification, 244

AU EONG, K.-G.: *See* FUJII, G. Y., 90, 272

AUNG, T., ANG, L. P., CHAN, S.-P., and CHEW, P. T. K.: Acute primary angle-closure: Long-term intraocular pressure outcome in Asian eyes, 7

AUNG, T., CHEW, P. T. K., YIP, C.-C., CHAN, Y.-H., SEE, J. L. S., KHNG, C. G., HOH, S.-T., NG, L.-H., and LEE, H.-M.: A randomized double-masked crossover study comparing latanoprost 0.005% with unoprostone 0.12% in patients with primary open-angle glaucoma and ocular hypertension, 636

AVIÑO MARTINEZ, J. A.: *See* LOPEZ-SANCHEZ, E., 667

AZAR, R. G. *See* COLLINS M. J., 1

AZEN, S. P.: *See* PLUMMER, D. J., 216

B

BABA, T.: *See* MATSUO, T., 659

BACUS, S. S.: *See* GROSTERN, R. J., 788

BAIRD, P. N., DICKINSON, J., CRAIG, J. E., and MACKEY, D. A.: The *Taa*1 restriction enzyme provides a simple means to identify the Q3688STOP mutation of the myocilin gene in primary open angle glaucoma, 510

BALARAM, M., SCHAUMBERG, D. A., and DANA, M. R.: Efficacy and tolerability outcomes after punctal occlusion with silicone plugs in dry eye syndrome, 30

BALCER, L. J., LIU, G. T., HELLER, G., BILANIUK, L., VOLPE, N. J., GALETTA, S. L., MOLLOY, P. T., PHILLIPS, P. C., JANSS, A. J., VAUGHN, S., and MAGUIRE, M. G.: Visual loss in children with neurofibromatosis type 1 and optic pathway gliomas, 442

BALTATZIS, S.: *See* MISEROCCHI, E., 452

BANDEEN-ROCHE, K.: *See* SCOTT, I. U., 584

BARATZ, H., COOK, B. E., and HODGE, D. O.: Probability of Nd:YAG laser capsulotomy after cataract surgery in Olmsted County, Minnesota, 161

BARKANA, Y., ZADOK, D., HERBERT, M., KORNBERG, A., and NEMET, P.: Granulomatous kerato-conjunctivitis as a manifestation of Hodgkin lymphoma, 796

BARRON, Y.: *See* PACZKA, J. A., 188

BARTSCH, D.-U. G.: *See* PLUMMER, D. J., 216

BASHAM, A. A.: *See* SHAIKH, S., 143

BAZAN, N. G.: *See* KAUFMAN, H. E., 643

© 2001 BY ELSEVIER SCIENCE INC. ALL RIGHTS RESERVED.
0002-9394/01/$20.00

BEATTY, S.: *See* AU EONG, K.-G., 244

BEHRENS, A.: *See* CHUCK, R. S., 377

BELFORT, R.: *See* REBOUÇAS MARTINS, S. A., 378

BELFORT, R.: *See* SILVEIRA, C., 351

BENNETT, M. D.: *See* KOKAME, G. T., 129

BERG, R.: *See* JACOBSON, D. M., 742

BERGER, A. S.: *See* DEL PRIORE, L. V., 472

BERGLOEFF, J. K.: Neuro-Ophthalmology, The Requisites in Ophthalmology, by Martin, T. J., and Corbett, J. J. (eds.) (book review), 534

BERSON, E. L.: *See* DeANGELIS, M. M., 355

BHATIA, A.: *See* PANDEY, P. K., 526

BILANIUK, L.: *See* BALCER, L. J., 442

BISER, S. A.: Clinical Guide to Comprehensive Ophthalmology, by Lee, D. A., and Higginbotham, E. J. (eds.) (book review), 408

BLOOM, E. E.: *See* MOSHARI, A., 400

BLUMENKRANZ, M. S.: *See* SHAIKH, S., 136

BONAVOLONTA, G.: *See* SELVA, D., 364

BOUVIER, D'S., and RAGHUVEER, C. V.: Aspiration cytology of metastatic chordoma to the orbit, 279

BOUZAS, E. A.: *See* KARADIMAS, P., 126

BRANCATO, R.: *See* VERIN, P. H., 691

BRANDT, J. D., MOCKOVAK, M. E., and CHAYET, A.: Pigmentary dispersion syndrome induced by a posterior chamber phakic refractive lens, 260

BRAR, G. S.: *See* KAUSHIK, S., 140

BRESSLER, N. M.: *See* BRESSLER, S. B., 503

BRESSLER, S. B., and BRESSLER, N. M.: Randomized clinical trials in ophthalmology in 2001: Twenty-fifth anniversary of the first publication from the Diabetic Retinopathy Study (editorial), 503

BROWNSTEIN, S.: *See* CHIALANT, D., 654

BRUBAKER, R. F., SCHOFF, E. O., NAU, C. B., CARPENTER, S. P., CHEN, K., and VANDENBURGH, A. M.: Effects of AGN 192024, a new ocular hypotensive agent, on aqueous dynamics, 19

BUCKWALTER, N. R.: *See* MOSHARI, A., 400

BUDDE, M., CURSIEFEN, C., HOLBACH, L. M., and NAUMANN, G. O. H.: Silicone oil–associated optic nerve degeneration, 392

BUDDE, W. M.: *See* JONAS, J. B., 427

BUDENZ, D. L., HOFFMAN, K., and ZACCHEI, A.: Glaucoma filtering bleb dysesthesia, 626

BUGGAGE, R. R., LEVY-CLARKE, G. A., and SMITH, J. A.: New corneal findings in human T-cell lymphotropic virus type 1 infection, 309

BUGGAGE, R. R., SMITH, J. A., SHEN, D., and CHAN, C.-C.: Conjunctival T-cell lymphoma caused by human T-cell lymphotrophic virus infection, 381

BURKE, J. M.: *See* HONG, P. H., 133

BUTANI, N.: *See* READ, R. W., 599

BYER, N. E.: Spontaneous regression and disappearance of subclinical rhegmatogenous retinal detachment, 269

C

CABRE, P.: *See* MERLE, H., 305

CAMRAS, C. B.: *See* TORIS, C. B., 722

CAPRIOLI, J.: Should we use short-wavelength automated perimetry to test glaucoma patients? (editorial), 792

CARMICHAEL, T. R.: *See* VERIN, P. H., 691

CARPENTER, S. P. *See* BRUBAKER, R. F., 19

CARR, J. D. *See* COLLINS M. J., 1

CASPERS–VELU, L. E.: *See* VEROUGSTRAETE, C., 223

CASTELBUONO, A.: Decision Making in Ophthalmology: An Algorithmic Approach, by Van Heuven, W. A. J., and Zwaan, J. (eds.) (book review), 407

CASTELO, A.: *See* REBOUÇAS MARTINS, S. A., 378

CATER, J.: *See* SHIELDS, J. A., 572

CEKIC, O.: *See* FANG, X. Y., 481

CERQUETI, P. M.: *See* VERIN, P. H., 691

CERVERA, C.: *See* GAMEZ, J., 398

CHAKRABARTY, A.: *See* KAUSHIK, S., 140

CHAN, C.-C.: *See* BUGGAGE, R. R., 381

CHAN, C.-C.: *See* VELEZ, G., 396

CHAN, C. K., and LAWRENCE, F. C.: Macular hole after laser in situ keratomileusis and photorefractive keratectomy, 666

CHAN, S.-P. *See* AUNG, T., 7

CHAN, Y.-H.: *See* AUNG, T., 636

CHAR, D. H.: *See* NASERI, A., 259

CHAUDHURI, Z.: *See* PANDEY, P. K., 526

CHAUHAN, R.: *See* ESTAFANOUS, M. F. G., 620

CHAYET, A.: *See* BRANDT, J. D., 260

CHEESEMAN, E. W.: *See* MOSHARI, A., 232

CHEN, K. *See* BRUBAKER, R. F., 19

CHEW, P. T. K.: *See* AUNG, T., 7, 636

CHIALANT, D., DAMJI, K. F., BROWNSTEIN, S., and COUPAL, D.: Demonstration of retroiridal extension of an epithelial membrane by ultrasound biomicroscopy: a clinicopathologic correlation, 654

CHOPIN, N. T.: Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry (correspondence), 528

CHUCK, R. S., BEHRENS, A., and McDONNELL, P. J.: Microkeratome-based limbal harvester for limbal stem cell transplantation: preliminary studies, 377

CIBIS, G. W.: *See* FITZGERALD, K. M., 495

CIPRANDI, G.: *See* VERIN, P. H., 691

CLANCY, R. R.: *See* KIM, W., 383

CODAY, M. P.: *See* GEGGEL, H. S., 505

COLLABORATIVE OCULAR MELANOMA STUDY GROUP: *See* GROSTERN, R. J., 788

COLLINS, M. J., CARR, J. D., STULTING, R. D., AZAR, R. G., WARING, G. O. III, SMITH, R. E., THOMPSON K. P., and EDELHAUSER H. F.: Effects of laser in situ keratomileusis (LASIK) on the corneal endothelium 3 years postoperatively, 1

COLOMBO, F., CURSIEFEN, C., HOFMANN-RUMMELT, C., and HOLBACH, L. M.: Primary intraosseous cavernous hemangioma of the orbit, 151

COOK, B. E.: *See* BARATZ, H., 161

CORONEO, M. T.: *See* VERIN, P. H., 691

COSCAS, G.: *See* GLACET-BERNARD, A., 78

COSTA, J. R., KRAUSE, M., FRIEDMAN, E., and D'AMICO, D. J.: Central retinal vein occlusion in a patient with thrombotic thrombocytopenic purpura, 669

COSTER, D. J.: *See* VERIN, P. H., 691

COUPAL, D.: *See* CHIALANT, D., 654

COX, M. S., TRESE, M. T., and WILLIAMS, G. A.: Raymond R. Margherio (obituary), 292

COX, T. A.: *See* HAUPERT, C. L., 208

CRAIG, J. E.: *See* BAIRD, P. N., 510

CUNNINGHAM, E. T.: *See* FAWZI, A. A., 804

CURSIEFEN, C.: *See* BUDDE, M., 392

CURSIEFEN, C.: *See* COLOMBO, F., 151

D

DADA, T., VAJPAYEE, R. B., GUPTA, V., SHARMA, N., and DADA, V. K.: Microkeratome-induced reduction of astigmatism after penetrating keratoplasty, 507

DADA, V. K.: *See* DADA, T., 507

D'AMARO, J. *See* ZAAL, M. J. W., 25

D'AMICO, D. J.: *See* COSTA, J. R., 669

DAMJI, K. F.: *See* CHIALANT, D., 654

DANA, M. R. *See* BALARAM, M., 30

DANIELL, M.: *See* MALLARI, L. T., 131

DAY, D. G.: *See* STEWART, W. C., 631

DE JUAN, E.: *See* AU EONG, K.-G., 244, 664

DE JUAN, E.: *See* FUJII, G. Y., 90, 272

DE LEON, M. D. L.: *See* KOKAME, G. T., 384

DeANGELIS, M. M., McGEE, T. L., KEATS, B. J. B., SLIM, R., BERSON, E. L., and DRYJA, T. P.: Two families from New England with Usher syndrome type IC with distinct haplotypes, 355

DeBROFF, B. M.: Cataract Surgery in Complicated Cases, by Buratto, L., Osher, R. H., and Masket, S. (eds.) (book review), 533

DEL PRIORE, L. V., KAPLAN, H. J., TEZEL, T. H., HAYASHI, N., BERGER, A. S., and GREEN, W. R.: Retinal pigment epithelial cell transplantation after subfoveal membranectomy in age-related macular degeneration, 472

DEL SIGNORE, M.: *See* ISENBERG, S. J., 438

DEMER, J.: *See* SILVERBERG, M., 146

DEMIRCI, H.: *See* HONAVAR, S. G., 277

DEMIRCI, H.: *See* SHIELDS, J. A., 561, 572

DEMIRCI, H., SHIELDS, C. L., SHIELDS, J. A., EAGLE, R. C., and HONAVAR, S. G.: Bilateral breast metastases from choroidal melanoma, 521

DEMIREL, S., and JOHNSON, C. A.: Incidence and prevalence of short wavelength automated perimetry deficits in ocular hypertensive patients, 709

DEUTSCH, T. A.: *See* HAWKINS, A. S., 257

DHALIWAL, D. K., ROMANOWSKI, E. G., YATES, K. A., HU, D., GOLDSTEIN M., and GORDON, Y. J.: Experimental laser-assisted in situ keratomileusis induces the reactivation of latent herpes simplex virus, 506

DI BISCEGLIE, A. M.: *See* MYERS, J. P., 802

DICKINSON, J.: *See* BAIRD, P. N., 510

DiLORETO, D. A., and RAO, N. A.: Solitary nonreactive choroidal tuberculoma in a patient with acquired immune deficiency syndrome, 138

DO, D. V.: Advancements in LASIK CD-ROM: Techniques for Prevention and Management of Complications, by Gimbel, H. V., and Anderson Penno, E. E. (software review), 532

DO, D. V.: Handbook of Ocular Infections, Inflammation, and External Diseases, by Bohigian, G. M., and Valluri, S. (book review), 681

DO, D. V.: LASIK Complications: Prevention and Management, 2nd Ed., by Gimbel, H. V., and Anderson Penno E. E. (book review), 532

DOGRA, M. R.: *See* KAUSHIK, S., 140

DONOSO, L. A.: *See* PAGER, C. K., 517

DORTZBACH, R. K.: *See* EGBERT, J. E., 815

DRANCE, S., ANDERSON, D. R., and SCHULZER, M.: Risk factors for progression of visual field abnormalities in normal-tension glaucoma, 699

DRASDO, N.: *See* SHEEN, N. J. L., 716

DRYJA, T. P.: *See* DeANGELIS, M. M., 355

DUFFY, B. F.: *See* ORUC, S., 657

DUPONT, J.: *See* GRUNWALD, J. E., 751

E

EAGLE, R.: *See* DEMIRCI, H., 521

EAGLE, R.: *See* PAGER, C. K., 517

EASTY, D. L.: *See* VERIN, P. H., 691

ECKARDT, C.: *See* AU EONG, K.-G., 244

EDELHAUSER HF. *See* COLLINS M. J., 1

EGAN, R. A., PLESS, M., and SHULTS, W. T.: Monocular blindness as a complication of trigeminal radiofrequency rhizotomy, 237

EGBERT, J. E., LUCCHESE, N. J., and DORTZBACH, R. K.: Alternating ptosis after bilateral frontalis muscle suspension for congenital ptosis, 815

EHYA, H.: *See* HONAVAR, S. G., 277

ENDO, S., ISHIDA, N., and YAMAGUCHI, T.: Tear in the trabecular meshwork caused by an airsoft gun, 656

ENGSTROM, R. E.: *See* NAJMAN-VAINER, J., 615

ESCARDÓ, J. A., PAL, B., FEYI-WABOSO, A., LANE, C. M., and MORGAN, J. E.: Orbital cellulitis caused by *Fusobacterium necrophorum*, 280

ESTAFANOUS, M. F. G., LOWDER, C. Y., MEISLER, D. M., and CHAUHAN, R.: Phacoemulsification cataract extraction and posterior chamber lens implantation in patients with uveitis, 620

ESTAFANOUS, M.: *See* ROTH, D. B., 390

ESTIVIN-EBRARDT, C.: *See* VERIN, P. H., 691

EZRA, E.: *See* PATTERSON, J. A.:, 799

F

FANG, X. Y., HAYASHI, A., CEKIC, O., MORIMOTO, T., OHJI, M., KUSAKA, S., KAMEI, M., FUJIKADO, T., and TANO, Y.: Effect of Ca^{2+}-free and Mg^{2+}-free BSS

Plus solution on the retinal pigment epithelium and retina in rabbits, 481

FAWZI, A. A., and CUNINGHAM, E. T.: Central serous chorioretinopathy after bone marrow transplantation, 804

FAWZI, A. A.: *See* PARWAR, B. L., 523

FEDERMAN, J. L.: *See* PAGER, C. K., 517

FEKRAT, S.: *See* HAUPERT, C. L., 208

FERN, A.: *See* SRINIVASAN, S., 671

FEUER, W. J.: *See* SCOTT, I. U., 584, 598

FEUER, W. J.: *See* SONG, A., 795

FEUER, W. J.: *See* YEN, M. T., 314

FEYI-WABOSO, A.: *See* ESCARDÓ, J. A., 280

FINE, H. F., SMITH, J. A., MURANTE, B. L., NUSSENBLATT, R. B., and ROBINSON, M. R.: Frosted branch angiitis in a child with HIV infection, 394

FITZGERALD, K. M., HASHIMOTO, T., HUG, T. E., CIBIS, G. W., and HARRIS, D. J.: Autosomal dominant inheritance of a negative electroretinogram phenotype in three generations, 495

FLYNN, H. W.: *See* SCOTT, I. U., 515

FOLSTEIN, M. F.: *See* SCOTT, I. U., 584, 598

FOSTER, C. S.: *See* MISEROCCHI, E., 452

FOSTER, P. J.: *See* WONG, T. Y., 176

FREEMAN, W. R.: *See* PLUMMER, D. J., 216

FREUND, K. B.: *See* YANYALI, A. C., 386

FRICKE, J.: *See* NEUGEBAUER, A., 359

FRIEDBERG, M. A.: *See* FRIEMAN, B. J., 520

FRIEDMAN, D. S.: *See* PACZKA, J. A., 188

FRIEDMAN, E.: *See* COSTA, J. R., 669

FRIEMAN, B. J., and FRIEDBERG, M. A.: Globe perforation associated with subtenon's anesthesia, 520

FROHMAN, L., GRIGORIAN, R., and SLAMOVITS, T.: Evolution of sarcoid granulomas of the retina, 662

FROUMIS, N. A., MONDINO, B. J., and GLASGOW, B. J.: *Acanthamoeba* keratitis associated with fungal keratitis, 508

FUJII, G. Y., DE JUAN, E., THOMAS, M. A., PIERAMICI, D. J., HUMAYUN, M. S., and AU EONG, K.-G.: Limited macular translocation for the management of subfoveal retinal pigment epithelial loss after submacular surgery, 272

FUJII, G. Y., HUMAYUN, M. S., PIERAMICI, D. J., SCHACHAT, A. P., AU EONG, K.-G., and DE JUAN, E.: Initial experience of inferior limited macular translocation for subfoveal choroidal neovascularization resulting from causes other than age-related macular degeneration, 90

FUJII, G. Y.: *See* AU EONG, K.-G., 244, 664

FUJIKADO, T., OHJI, M., KUSAKA, S., HAYASHI, A., KAMEI, M., OKADA, A. A., ODA, K., and TANO, Y.: Visual function after foveal translocation with 360-degree retinotomy and simultaneous torsional muscle surgery in patients with myopic neovascular maculopathy, 101

FUJIKADO, T.: *See* FANG, X. Y., 481

FUJINO, Y.: *See* INOUE, K., 524

FUJIWARA, H.: *See* OHTSUKI, H., 117, 270

FUKUSHIMA, H.: *See* KATO, S., 301

G

GAINES, B. I.: *See* HAWKINS, A. S., 257

GALETTA, S. L.: *See* BALCER, L. J., 442

GAMEZ, J., MONTANE, D., MARTORELL, L., MINOVES, T., and CERVERA, C.: Bilateral optic nerve atrophy in myotonic dystrophy, 398

GANDHI, P. D., GÜRSES-ÖZDEN, R., LIEBMANN, J. M., and RITCH, R.: Attempted eyelid closure affects intraocular pressure measurement, 417

GANDORFER, A., MESSMER, E. M., ULBIG, M. W., and KAMPIK, A.: Indocyanine green selectively stains the internal limiting membrane, 387

GARG, P.: *See* SRIDHAR, M. S., 255

GEGGEL, H. S., and CODAY, M. P.: Late-onset traumatic laser in situ keratomileusis (LASIK) flap dehiscence, 505

GELISKEN, F., INHOFFEN, W., PARTSCH, M., SCHNEIDER, U., and KREISSIG, I.: Retinal pigment epithelial tear after photodynamic therapy for choroidal neovascularization, 518

GENTILE, R. C.: *See* INAZUMI, K., 446

GEORGE, R.: *See* THOMAS, D., 734

GERARD, M.: *See* MERLE, H., 305

GEYER, O., MAN, O., WEINTRAUB, M., and SILVER, D. M.: Acute effect of latanoprost on pulsatile ocular blood flow in normal eyes, 198

GEYER, O. *See* HOROWITZ, J., 673

GIBBS, M. L.: *See* SPRY, P. G. D., 332

GILCHRIST, K.: *See* GROSTERN, R. J., 788

GILLS, J.: Foldable Intraocular Lenses–Evolution Clinicopathologic Correlations, and Complications, by Apple, D. J., Auffarth, G. U., Peng, G., and Visessook, N. (book review), 684

GLACET-BERNARD, A., SIMON, P., HAMELIN, N., COSCAS, G., and SOUBRANE, G.: Translocation of the macula for management of subfoveal choroidal neovascularization: c omparison of results in age-related macular degeneration and degenerative myopia, 78

GLASGOW, B. J.: *See* FROUMIS, N. A., 508

GOLDBERG, M. F.: *See* AL-ABDULLA, N. A., 275

GOLDSTEIN, M.: *See* DHALIWAL, D. K., 506

GOLE, G. A.: *See* TODD, B., 818

GOOD, W. V.: Eye Care for Infants & Young Children, by Moore, B. D. (ed.) (book review), 406

GORDON, M.: *See* PATIL, R. V., 421

GORDON, Y. J.: *See* DHALIWAL, D. K., 506

GORDON, Y. J.: Vancomycin prophylaxis and emerging resistance: Are ophthalmologists the villains? The heroes?, 371

GRAVES, M. C.: *See* NAJMAN-VAINER, J., 615

GREEN, W. R.: *See* DEL PRIORE, L. V., 472

GREENFIELD, D. S., KNIGHTON, R. W., and HUANG, X.-R.: Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry (correspondence), 403

GREENFIELD, D. S., KNIGHTON, R. W., and HUANG, X.-R.:

Reply to CHOPIN, N. T.: Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry (correspondence), 528

GREGOR, Z. J.: *See* PATTERSON, J. A.:, 799

GREINER, K.: *See* HEJNY, C., 782

GRIGORIAN, R.: *See* FROHMAN, L., 662

GRINSTEAD, G. F.: *See* JACOBSON, D. M., 742

GROSTERN, R. J., SHTERNFELD, I. S., BACUS, S. S., GILCHRIST, K., ZIMBRIC, M. L, and ALBERT, D. M., for the COLLABORATIVE OCULAR MELANOMA STUDY GROUP: Absence of type I estrogen receptors in choroidal melanoma: analysis of Collaborative Ocular Melanoma Study (COMS) eyes, 788

GRUNWALD, J. E., SIU, K. K., JACOB, S. S., and DUPONT, J.: Effect of sildenafil citrate (Viagra) on the ocular circulation, 751

GUPTA, A.: *See* KAUSHIK, S., 140

GUPTA, V.: *See* DADA, T., 507

GÜRSES-ÖZDEN, R.: *See* GANDHI, P. D., 417

GÜRSES-ÖZDEN, R.: *See* PONS, M. E., 511

GUTIÉRREZ-DíAZ, E.: *See* MENCÍA-GUTIÉRREZ, E., 281

H

HAAS, A.: *See* WEGER, M., 290

HADDOCK, T. A.: *See* AL-ABDULLA, N. A., 275

HAGEMAN, G.: *See* ANDERSON. D. H., 767

HAGEMAN, G.: *See* PAGER, C. K., 517

HAMANO, TAKASHI: *See* INOUE, T., 431

HAMANO, TANOTSU: *See* INOUE, T., 431

HAMELIN, N.: *See* GLACET-BERNARD, A., 78

HAN, D. P.: *See* HONG, P. H., 133

HANADA, K., SHIMAZAKI, J., SHIMMURA, S., and TSUBOTA, K.: Multilayered amniotic membrane transplantation for severe ulceration of the cornea and sclera, 324

HANEMOTO, T., IDETA, H., and KAWASAKI, T.: Dislocated intraocular lens fixation using intraocular cowhitch knot, 265

HARLAN, J. B.: *See* AU EONG, K.-G., 244

HARRIS, D. J.: *See* FITZGERALD, K. M., 495

HARRISBERG, C. J.: *See* VERIN, P. H., 691

HASEBE, S.: *See* OHTSUKI, H., 117, 270

HASHIMOTO, M., OHTSUKA, K., and HOYT, W. F.: Vascular compression as a cause of superior oblique myokymia disclosed by thin-slice magnetic resonance imaging, 676

HASHIMOTO, T.: *See* FITZGERALD, K. M., 495

HAUPERT, C. L., McCUEN, B. W., JAFFE, G. J., STEUER, E. R., COX, T. A., TOTH, C. A., FEKRAT, S., and POSTEL, E. A.: Pars plana vitrectomy, subretinal injection of tissue plasminogen activator, and fluid–gas exchange for displacement of thick submacular hemorrhage in age-related macular degeneration, 208

HAWKINS, A. S., STEIN, R. M., GAINES, B. I., and DEUTSCH, T. A.: Ocular deposition of copper associated with multiple myeloma, 257

HAYASHI, A.: *See* FANG, X. Y., 481

HAYASHI, A.: *See* FUJIKADO, T., 101

HAYASHI, A.: *See* KUSAKA, S., 388

HAYASHI, N.: *See* DEL PRIORE, L. V., 472

HAYASHI, N.: *See* KUSAKA, S., 388

HAYLER, J. K.: *See* JONAS, J. B., 468

HAYREH, S. S., ZIMMERMAN, B., McCARTHY, M. J., and PODHAJSKY, P.: Systemic diseases associated with various types of retinal vein occlusion, 61

HEJNY, C., STERNBERG, P., LAWSON, D. H., GREINER, K., and AABERG, T. M.: Retinopathy associated with high-dose interferon alfa-2b therapy, 782

HELLER, G.: *See* BALCER, L. J., 442

HERBERT, M,: *See* BARKANA, Y., 796

HIDA, T.L: *See* OSHITARI, K., 814

HIRAKATA, A.: *See* OSHITARI, K., 814

HIROSE, H.: *See* ASAMI, T., 134

HOD, Y.: *See* HOROWITZ, J., 673

HODGE, D. O.: *See* BARATZ, H., 161

HOFFMAN, K.: *See* BUDENZ, D. L., 626

HOFMANN-RUMMELT, C.: *See* COLOMBO, F., 151

HOH, S. T.: *See* AUNG, T., 636

HOLBACH, L. M.: *See* BUDDE, M., 392

HOLBACH, L. M.: *See* COLOMBO, F., 151

HOLLAND, G. N.: *See* NAJMAN-VAINER, J., 615

HOLLAND, G. N.: *See* READ, R. W., 647

HOLLAND, G. N.: *See* SILVEIRA, C., 351

HOLMES, K. T.: *See* KONSTAS, A. G. P., 729

HOLMES, K. T.: *See* STEWART, W. C., 339, 798

HOLZ, E. R.: *See* SHAH, C. V., 142

HONAVAR, S. G.: *See* DEMIRCI, H., 521

HONAVAR, S. G.: *See* SHIELDS, J. A., 561, 572

HONAVAR, S. G., SHIELDS, J. A., SHIELDS, C. L., DEMIRCI, H., and EHYA, H.: Extramedullary plasmacytoma confined to the choroid, 277

HONG, P. H., HAN, D. P., BURKE, J. M., and WIROSTKO, W. J.: Vitrectomy for large vitreous opacity in retinitis pigmentosa, 133

HORI, S.: *See* KATO, S., 301

HORI-KOMAI, Y., TODA, I., and TSUBOTA, K.: Laser in situ keratomileusis: association with increased width of palpebral fissure, 254

HORIO, N.: *See* ASAMI, T., 134

HOROWITZ, J., MELAMUD, A., SELA, L., HOD, Y., and GEYER, O.: Internal carotid artery hypoplasia presenting as anterior ischemic optic neuropathy, 673

HOWARD, D. L.: *See* SPRY, P. G. D., 332

HOWES, E.: *See* NASERI, A., 259

HOYT, W. F.: *See* HASHIMOTO, M., 676

HU, D.: *See* DHALIWAL, D. K., 506

HUANG, X.-R.: *See* GREENFIELD, D. S., 403, 528

HUG, T. E.: *See* FITZGERALD, K. M., 495

HUGHES, J. R.: *See* SCOTT, I. U., 515

HUMAYUN, M. S.: *See* AU EONG, K.-G., 244, 664

HUMAYUN, M. S.: *See* FUJII, G. Y., 90, 272

HWANG, J.-M., and PARK, S.-H.: A case of Marcus Gunn jaw winking and pseudo inferior oblique overaction, 148

I

IDETA, H.: *See* HANEMOTO, T., 265

IIJIMA, H.: *See* IMASAWA, M., 55

IIJIMA, H.: *See* KOGURE, S., 403

IMAMURA, Y., SUZUKI, M., NAKAJIMA, K., and MURATA, H.: Gastric signet ring cell adenocarcinoma metastatic to the iris, 379

IMASAWA, M., IIJIMA, H., and MORIMOTO, T.: Perimetric sensitivity and retinal thickness in eyes with macular edema resulting from branch retinal vein occlusion, 55

INAZUMI, K., GENTILE, R. C., LEE, K. Y-C, ISHIKAWA, H., McCORMICK, S. A., LIEBMANN, J. M., and RITCH, R.: Ultrasound biomicroscopic diagnosis of cyclitic membranes, 446

INHOFFEN, W.: *See* GELISKEN, F., 518

INOMATA, H., and RAO, N. A.: Depigmented atrophic lesions in sunset glow fundi of Vogt-Koyanagi-Harada disease, 607

INOUE, K., NUMAGA, J., JOKO, S., IZUMI, S., KATO, S., KAWASHIMA, H., and FUJINO, Y.: A case of multiple sclerosis with granulomatous uveitis in Japan–use of the antilipoarabinomannan (LAM)-B test in differential diagnosis, 524

INOUE, M.: *See* SHINODA, K., 489

INOUE, R.: *See* SHINODA, K., 489

INOUE, T., MAEDA, N., YOUNG, L. S., HAMANO, TAKASHI, HAMANO, TAMOTSU, SHIMOMURA, Y., TANO, Y., and OHASHI, Y.: Epithelial pigment slide in contact lens wearers: A possible marker for contact lens-associated stress on corneal epithelium, 431

ISASHIKI, Y., KII, Y., OHBA, N., and NAKAGAWA, M.: Retinopathy associated with Machado-Joseph disease (spinocerebellar ataxia 3) with CAG trinucleotide repeat expansion, 808

ISASHIKI, Y.: *See* KAKIUCHI-MATSUMOTO, T., 345

ISENBERG, S. J., DEL SIGNORE, M., and MADANI-BECKER, G.: Use of the HARK autorefractor in children, 438

ISHIDA, N.: *See* ENDO, S., 656

ISHIDA, S.: *See* SHINODA, K., 489

ISHIKAWA, H.: *See* INAZUMI, K., 446

ITOH, N.: *See* KADONOSONO, K., 203

IZUMI, S.: *See* INOUE, K., 524

J

JABS, D. A., and ROSENBAUM, J. T.: Guidelines for the use of immunosuppressive drugs in patients with ocular inflammatory disorders: recommendations of an expert panel, 679

JACOB, S. S.: *See* GRUNWALD, J. E., 751

JACOBSON, D. M., and ADAMUS, G.: Retinal anti-bipolar cell antibodies in a patient with paraneoplastic retinopathy and colon carcinoma, 806

JACOBSON, D. M., BERG, R., GRINSTEAD, G. F., and KRUSE, J. R.: Duration of positive urine for cocaine metabolite after ophthalmic administration: implications for testing patient with suspected Horner syndrome using ophthalmic cocaine, 742

JAFFE, G. J.: *See* HAUPERT, C. L., 208

JANSS, A. J.: *See* BALCER, L. J., 442

JENG, B. H., KAISER, P. K., and LOWDER, C. Y.: Retinal vasculitis and posterior pole "hypopyons" as early signs of acute bacterial endophthalmitis, 800

JOHNSON, C. A.: *See* DEMIREL, S., 709

JOHNSON, C. A.: *See* SPRY, P. G. D., 332

JOHNSON, G. J.: *See* WONG, T. Y., 176

JOHNSON, L. V.: *See* ANDERSON. D. H., 767

JOHNSON, M. W.: *See* STEWART, W. C., 798

JOHNSTON, R.: *See* READ, R. W., 599

JOKO, S.: *See* INOUE, K., 524

JONAS, J. B., HAYLER, J. K., SOFKER, A., and PANDA-JONAS, S.: Intravitreal injection of crystalline cortisone as adjunctive treatment of proliferative diabetic retinopathy, 468

JONAS, J. B., RANK, R. M., and BUDDE, W. M.: Autologous ipsilateral rotating penetrating keratoplasty, 427

JONES, D. B.: *See* SHAH, C. V., 142

JUN, A. S.: Companion Handbook to The Cornea, Second Edition, by Kaufman, H. E., Barron, B. A., McDonald, M. B., and Kaufman, S. C. (eds.) (book review), 680

K

KACHI, S.: *See* KATO, K., 812

KADONOSONO, K., YAZAMA, F., ITOH, N, UCHIO, E., NAKAMURA, S., AKURA, J., SAWADA, H., and OHNO, S.: Treatment of retinal detachment resulting from myopic macular hole with internal limiting membrane removal, 203

KAIBORIBOON, K., PIRIYAWAT, P., and SELHORST, J. B.: Light-induced amaurosis fugax, 674

KAISER, P. K., RIEMANN, C. D., SEARS, J. E., and LEWIS, H.: Macular traction detachment and diabetic macular edema associated with posterior hyaloidal traction, 44

KAISER, P. K.: *See* JENG, B. H., 800

KAIYA, T.: *See* KATO, S., 301

KAKIUCHI-MATSUMOTO, T., ISASHIKI, Y., OHBA, N., KIMURA, K., SONODA, S., and UNOKI, K.: Cytochrome P450 1B1 gene mutations in Japanese patients with primary congenital glaucoma, 345

KAMEEN, A.: Complex Cases with LASIK. Advanced Techniques and Complication Management, by Probst, L. E. (ed.) (book review), 405

KAMEI, M.: *See* FANG, X. Y., 481

KAMEI, M.: *See* FUJIKADO, T., 101

KAMEI, M.: *See* KUSAKA, S., 388

KAMPIK, A.: *See* GANDORFER, A., 387

KANAI, A.: *See* KAUFMAN, H. E., 643

KANDA, T.: *See* KATO, K., 812

KANEKO, Y.: *See* KURIMOTO, Y., 756

KAPLAN, H. J.: *See* DEL PRIORE, L. V., 472

KAPLAN, H. J.: *See* ORUC, S., 657

KARADIMAS, P., BOUZAS, E. A., TOPOUZIS, F., KOUTRAS, D. A., and MASTORAKOS, G.: Hypothyroidism and glaucoma. A study of 100 hypothyroid patients, 126

KATO, K, MIYAKE, Y, KACHI, S, SUZUKI, T, TERASAKI, H, KAWASE, Y, and KANDA, T.: Axial length and refractive error in X-linked retinoschisis, 812

KATO, S.: *See* INOUE, K., 524

KATO, S., SHIOKAWA, A., FUKUSHIMA, H., NUMAGA, J., KITANO, S., HORI, S., KAIYA, T., and OSHIKA, T.: Glycemic control and lens transparency in patients with type 1 diabetes mellitus, 301

KATZ, S. E.: Diagnostic Atlas of Orbital Diseases, by Dutton, J. J., Byrne, S. F., and Proia, A. D. (book review), 681

KAUFMAN, H. E., VARNELL, E. D., TOSHIDA, H., KANAI, A., THOMPSON, H. W., and BAZAN, N. G.: Effects of topical unoprostone and latanoprost on acute and recurrent herpetic keratitis in the rabbit, 643

KAUSHIK, S., RAM, J., CHAKRABARTY, A., DOGRA, M. R., BRAR, G. S., and GUPTA, A.: *Curvularia lunata* endophthalmitis with secondary keratitis, 140

KAWASAKI, T. *See* HANEMOTO, T., 265

KAWASE, Y.: *See* KATO, K., 812

KAWASHIMA, H.: *See* INOUE, K., 524

KAWASHIMA, S.: *See* SHINODA, K., 489

KEATS, B. J. B.: *See* DeANGELIS, M. M., 355

KENT-SMITH, B. T.: *See* VERIN, P. H., 691

KERRISON, J. B.: *See* AL-ABDULLA, N. A., 275

KHNG, C. G.: *See* AUNG, T., 636

KHODADOUST, A. A.: Corneal Transplantation: A History in Profile, by Mannis, M. J., and Mannis, A. A. (eds.) (book review), 407

KII, Y.: *See* ISASHIKI, Y., 808

KIJLSTRA, A. *See* ZAAL, M. J. W., 25

KIM, W., CLANCY, R. R., and LIU, G. T.: Horner syndrome associated with implantation of a vagus nerve stimulator, 383

KIMURA, K.: *See* KAKIUCHI-MATSUMOTO, T., 345

KIRSCH, A.: *See* NEUGEBAUER, A., 359

KISHI, S.: *See* OTANI, T., 50

KITANO, S.: *See* KATO, S., 301

KNIGHTON, R. W.: *See* GREENFIELD, D. S., 403, 528

KNORR, M.: *See* VERIN, P. H., 691

KNOX, D. L.: Allergic Disease of the Eye, by Abelson, M. B. (book review), 534

KODSI, S., and VALDERRAMA, E.: Orbital xanthoma in a 9-month-old infant, 150

KOGURE, S., and IIJIMA, H.: Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry (correspondence), 403

KOKAME, G. T., ATEBARA, N. H., and BENNETT, M. D.: Modified technique of haptic externalization for scleral fixation of dislocated posterior chamber lens implants, 129

KOKAME, G. T., DE LEON, M. D. L., and TANJI, T.: Serous retinal detachment and cystoid macular edema in hypotony maculopathy, 384

KONO, R.: *See* OHTSUKI, H., 117, 270

KONSTAS, A. G. P., STEWART, W. C., TOPOUZIS, F., TERSIS, I., HOLMES, K. T., and STANGOS, N. T.: Brimonidine 0.2% given two or three times daily versus timolol maleate 0.5% in primary open-angle glaucoma, 729

KORNBERG, A.: *See* BARKANA, Y., 796

KOSMORSKY, G.: Choroidal folds and increased intraocular pressure (correspondence), 158

KOUTRAS, D. A.: *See* KARADIMAS, P., 126

KRAUSE, M.: *See* COSTA, J. R., 669

KREISSIG, I.: *See* GELISKEN, F., 518

KRIVOY, D., McCORMICK, S., and ZAIDMAN, G. W.: Postkeratoplasty keratoconus in a nonkeratoconus patient, 653

KRUSE, J. R.: *See* JACOBSON, D. M., 742

KÜCHLE, M., and NAUMANN, G. O. H.: Pseudoexfoliation and posterior capsular opacification (correspondence), 820

KURIMOTO, Y., KANEKO, Y., MATSUNO, K., AKIMOTO, M., and YOSHIMURA, N.: Evaluation of the retinal nerve fiber layer thickness in eyes with idiopathic macular holes, 756

KUSAKA, S., HAYASHI, N., OHJI, M., HAYASHI, A., KAMEI, M., and TANO, Y.: Indocyanine green facilitates removal of epiretinal and internal limiting membranes in myopic eyes with retinal detachment, 388

KUSAKA, S.: *See* FANG, X. Y., 481

KUSAKA, S.: *See* FUJIKADO, T., 101

KYU, N.: *See* OTAKA, I., 267

L

LABREE, L.: *See* READ, R. W., 599

LAM, B. L.: *See* SONG, A., 795

LANCIONE, R. R., and TAMESIS, R.: Clinical Pathways in Glaucoma, by Zimmerman, T. J., and Kooner, K. S. (eds.) (book review), 822

LANE, C. M.: *See* ESCARDÓ, J. A., 280

LATHAM, K. E.: *See* STEWART, W. C., 339, 631

LAWRENCE, F. C.: *See* CHAN, C. K., 666

LAWSON, D. H. *See* HEJNY, C., 782

LEE, A. S.: *See* POTTER, M. J., 514

LEE, H.-M.: *See* AUNG, T., 636

LEE, K. Y-C: *See* INAZUMI, K., 446

LEE-WING, M., ORYSCHAK, A., ATTARIWALA, G., and ASHENHURST, M.: Rosai-Dorfman disease presenting as bilateral lacrimal gland enlargement, 677

LEONARDI, A.: *See* VERIN, P. H., 691

LEVINSON, R. D.: *See* NAJMAN-VAINER, J., 615

LEVY-CLARKE, G. A.: *See* BUGGAGE, R. R., 309

LEWIS, H.: The role of vitrectomy in the treatment of diabetic macular edema (editorial), 123

LEWIS, H.: *See* AU EONG, K.-G., 244

LEWIS, H.: *See* KAISER, P. K., 44

LEWIS, H.: *See* ROTH, D. B., 390

LEWIS, R. A.: *See* SHROYER, N. F., 761

LEYS, A.: *See* VEROUGSTRAETE, C., 223

LIEBMANN, J. M.: *See* GANDHI, P. D., 417

LIEBMANN, J. M.: *See* INAZUMI, K., 446

LIEBMANN, J. M.: *See* PONS, M. E., 511

LIU, G. T.: *See* BALCER, L. J., 442

LIU, G. T.: *See* KIM, W., 383

LOMBARDO, A. J.: The Blue Line Incision and Refractive Phacoemulsification, by Buzard, K. A., Friedlander, M. H., and Febbraro, J.-L. (book review), 683

LOPEZ-SANCHEZ, E., MUÑOZ, E. F., AVIÑO MARTINEZ, J. A., and MENEZO ROZALEN, J. L.: Central retinal artery occlusion as the initial sign of aortic valve papillary fibroelastoma, 667

LOWDER, C. Y.: *See* ESTAFANOUS, M. F. G., 620

LOWDER, C. Y.: *See* JENG, B. H., 800

LUCCHESE, N. J.: *See* EGBERT, J. E., 815

LUPSKI, J. R.: *See* SHROYER, N. F., 761

M

MABERLEY, A. L.: *See* POTTER, M. J., 514

MACKEY, D. A.: *See* BAIRD, P. N., 510

MADANI-BECKER, G.: *See* ISENBERG, S. J., 438

MADERO-GARCÍA, S.: *See* MENCÍA-GUTIÉRREZ, E., 281

MADY. M.: *See* SMIDDY, W. E., 748

MAEDA, N.: *See* INOUE, T., 431

MAGUIRE, M. G.: *See* BALCER, L. J., 442

MAIA, M.: *See* AU EONG, K.-G., 244

MALLARI, L. T., McCARTY, D. J., DANIELL, M., and TAYLOR, H.: Increased incidence of corneal perforation after topical fluoroquinolone treatment for microbial keratitis, 131

MALONEY, R. K.: Epithelial ingrowth after laser in situ keratomileusis (correspondence)

MAN, O.: *See* GEYER, O., 198

MANN, E. S.: *See* MYERS, J. P., 802

MANSOUR, S.: *See* SHAIKH, S., 143

MARTINEZ, M.: *See* VERIN, P. H., 691

MARTINS, M. C.: *See* SILVEIRA, C., 351

MARTORELL, L.: *See* GAMEZ, J., 398

MASHIMA, Y.: *See* SHINODA, K., 489

MASTORAKOS, G.: *See* KARADIMAS, P., 126

MATSUMOTO, M., and TRABOULSI, E. I.: Dominant radial drusen and Arg345Trp *EFEMP1* mutation, 810

MATSUNO, K.: *See* KURIMOTO, Y., 756

MATSUO, T., NAKAYAMA, T., and BABA, T.: Same eye recurrence of acute retinal necrosis syndrome, 659

MAX, S.: *See* PLUMMER, D. J., 216

McCARTHY, M. J.: *See* HAYREH, S. S., 61

McCARTY, D. J.: *See* MALLARI, L. T., 131

McCOLL, M. D.: *See* SRINIVASAN, S., 671

McCORMICK, S.: *See* INAZUMI, K., 446

McCORMICK, S.: *See* KRIVOY, D., 653

McCUEN, B. W.: *See* HAUPERT, C. L., 208

McCULLEY, T. J.: *See* SONG, A., 795

McDONNELL, P. J.: *See* CHUCK, R. S., 377

McGEE, T. L.: *See* DeANGELIS, M. M., 355

McLEAN, I. W.: *See* MOSHARI, A., 232, 400

MEISLER, D. M.: *See* ESTAFANOUS, M. F. G., 620

MELAMUD, A.: *See* HOROWITZ, J., 673

MENCÍA-GUTIÉRREZ, E., GUTIÉRREZ-DÍAZ, E., RICOY, J. R., and MADERO-GARCÍA, S.: Primary cutaneous adenoid cystic carcinoma of the eyelid, 281

MENDÍVIL, M. P.: *See* SOTO, A. M., 293

MENEZO ROZALEN, J. L.: *See* LOPEZ-SANCHEZ, E., 667

MERLE, H., CABRE, P., MERLE, S., GERARD, M., and SMADJA, D.: A description of human T-lymphotropic virus type I-related chronic interstitial keratitis in 20 patients, 305

MERLE, S.: *See* MERLE, H., 305

MESSMER, E. M.: *See* GANDORFER, A., 387

MEYER, R. F.: *See* SOONG, H. K., 290

MILLER, D.: *See* SONG, A., 795

MINOVES, T.: *See* GAMEZ, J., 398

MISEROCCHI, E., BALTATZIS, S., and FOSTER, C. S.: Ocular features associated with anticardiolipin antibodies: A descriptive study, 451

MIYAKE, Y.: *See* ASAMI, T., 134

MIYAKE, Y.: *See* KATO, K., 812

MOCKOVAK, M. E.: *See* BRANDT, J. D., 260

MODORATI, G.: *See* VERIN, P. H., 691

MOHANAKUMAR, T.: *See* ORUC, S., 657

MOHNEY, B. G.: *See* ABROMS, A. D., 111

MOLLOY, P. T.: *See* BALCER, L. J., 442

MONDINO, B. J. *See* FROUMIS, N. A., 508

MONTANE, D.: *See* GAMEZ, J., 398

MORGAN, J. E.: *See* ESCARDÓ, J. A., 280

MORGAN, J. E.: *See* SHEEN, N. J. L., 716

MORIMOTO, T.: *See* FANG, X. Y., 481

MORIMOTO, T.: *See* IMASAWA, M., 55

MOSHARI, A., BLOOM, E. E., McLEAN, I. W., and BUCK-WALTER, N. R.: Ectopic chordoma with orbital invasion, 400

MOSHARI, A., CHEESEMAN, E. W., and McLEAN, I. W.: Totally necrotic choroidal and ciliary body melanomas: associations with prognosis, episcleritis, and scleritis, 232

MUCCIOLI, C.: *See* REBOUÇAS MARTINS, S. A., 378

MUCCIOLI, C.: *See* SILVEIRA, C., 351

MULIYIL, J.: *See* THOMAS, D., 734

MULLINS, R. F.: *See* ANDERSON. D. H., 767

MUÑOZ, E. F.: *See* LOPEZ-SANCHEZ, E., 667

MURANTE, B. L.: *See* FINE, H. F., 394

MURATA, H.: *See* IMAMURA, Y., 379

MYCKATYN, S. O.: *See* POTTER, M. J., 514

MYERS, J. P., DI BISCEGLIE, A. M., and MANN, E. S.: Cryoglobulinemia associated with Purtscher-like retinopathy, 802

N

NAGAMOTO, T.: *See* OSHITARI, K., 814

NAJMAN-VAINER, J., LEVINSON, R. D., GRAVES, M. C., NGUYEN, B.-T., ENGSTROM, R. E., and HOLLAND, G. N.: An association between Vogt-Koyanagi-Harada disease and Guillain-Barré syndrome, 615

NAKAGAWA, M.: *See* ISASHIKI, Y., 808

NAKAJIMA, K.: *See* IMAMURA, Y., 379

NAKAMURA, S.: *See* KADONOSONO, K., 203

NAKAYAMA, T.: *See* MATSUO, T., 659

NASERI, A., CHAR, D. H., HOWES, E., and PAGLEN, P.: Amelanotic corneal melanoma after a blast injury, 259

NAU, C. B. *See* BRUBAKER, R. F., 19

NAUMANN, G. O. H.: *See* BUDDE, M., 392

NAUMANN, G. O. H.: *See* KÜCHLE, M., 820

NEALON, M.Z; *See* ANDERSON. D. H., 767

NEITZ, J.: *See* ANDERSON. D. H., 767

NEMET, P.: *See* BARKANA, Y., 796

NEMETH-WASMER, G.: *See* VERIN, P. H., 691

NEUGEBAUER, A., FRICKE, J., KIRSCH, A., and RÜSSMANN, W.: Modified transposition procedure of the vertical recti in sixth nerve palsy, 359

NG, E. W. M.: *See* AU EONG, K.-G., 244, 664

NG, L.-H.: *See* AUNG, T., 636

NGUYEN, B.-T.: *See* NAJMAN-VAINER, J., 615

NORTH, R. V.: *See* SHEEN, N. J. L., 716

NUMAGA, J.: *See* INOUE, K., 524

NUMAGA, J.: *See* KATO, S., 301

NUSSENBLATT, R. B.: *See* FINE, H. F., 394

NUSSENBLATT, R. B.: *See* SILVEIRA, C., 351

O

ODA, K.: *See* FUJIKADO, T., 101

O'DAY, D. M.: *See* TSAI, J. C., 263

OETTING, T.: *See* THOMPSON, S., 283

OGUCHI, Y.: *See* SHINODA, K., 489

OHASHI, Y.: *See* INOUE, T., 431

OHBA, N.: *See* ISASHIKI, Y., 808

OHBA, N.: *See* KAKIUCHI-MATSUMOTO, T., 345

OHDE, H.: *See* SHINODA, K., 489

OHJI, M.: *See* FANG, X. Y., 481

OHJI, M.: *See* FUJIKADO, T., 101

OHJI, M.: *See* KUSAKA, S., 388

OHNO, S.: *See* KADONOSONO, K., 203

OHNO, S.: *See* READ, R. W., 647

OHTSUKA, K.: *See* HASHIMOTO, M., 676

OHTSUKI, H., HASEBE, S., KONO, R., YAMANE, T., FUJIWARA, H., and SHIRAGA, F.: Prism adaptation response is useful for predicting surgical outcome in selected types of intermittent exotropia, 117

OHTSUKI, H., SHIRAGA, F., HASEBE, S., KONO, R., YAMANE, T., and FUJIWARA, H.: Correction of cyclovertical strabismus induced by limited macular translocation in a case of age-related macular degeneration, 270

OKADA, A. A.: *See* FUJIKADO, T., 101

OKADA, A. A.: *See* OSHITARI, K., 814

OMPHROY, L.: *See* THOMPSON, S., 283

OPHIR, A., and PIKKEL, J.: Mini-trabeculectomy in eyes with high risk of scarring: midterm follow-up, 13

OPTICAN, L. M.: The Neurology of Eye Movements, Third Edition, by Leigh, R. J., and Zee, D. S. (eds.) (book review), 408

ORUC, S., DUFFY, B. F., MOHANAKUMAR, T., and KAPLAN, H. J.: The association of HLA class II with pars planitis, 657

ORYSCHAK, A.: *See* LEE-WING, M., 677

OSHIKA, T.: *See* KATO, S., 301

OSHITARI, K., HIRAKATA, A., NAGAMOTO, T., OKADA, A. A., and HIDA, T.: Evaluation of retinal damage induced by air/fluid exchange using a trypan blue inclusion test in rabbits, 814

OTAKA, I., and KYU, N.: A new surgical technique for the management of orbital fat prolapse, 267

OTANI, T., and KISHI, S.: Tomographic findings of foveal hard exudates in diabetic macular edema, 50

OZAKI, S.: *See* ANDERSON. D. H., 767

P

PACZKA, J. A., FRIEDMAN, D. S., QUIGLEY, H. A., BARRON, Y., and VITALE, S.: Diagnostic capabilities of frequency-doubling technology, scanning laser polarimetry, and nerve fiber layer photographs to distinguish glaucomatous damage, 188

PAGER, C. K., SARIN, L. K., FEDERMAN, J. L., EAGLE, R., HAGEMAN, G., ROSENOW, J., and DONOSO, L. A.: Malattia leventinese presenting with subretinal neovascular membrane and hemorrhage, 517

PAGLEN, P.: *See* NASERI, A., 259

PAL, B.: *See* ESCARDÓ, J. A., 280

PANDA, A.: Small, overlapping tectonic keratoplasty involving graft host junction of penetrating keratoplasty (correspondence), 290

PANDA-JONAS, S.: *See* JONAS, J. B., 468

PANDEY, P. K., CHAUDHURI, Z., and BHATIA, A.: Extraocular muscle cysticercosis presenting as Brown syndrome, 526

PARK, S.-H.: *See* HWANG, J.-M., 148

PARKS, M. M.: *See* ABROMS, A. D., 111

PARLAK, M.: *See* YAZICI, B., 37

PARTOUCHE, P.: *See* VERIN, P. H., 691

PARTSCH, M.: *See* GELISKEN, F., 518

PARWAR, B. L., FAWZI, A. A., ARNOLD, A. C., and SCHWARTZ, S. D.: Horner's syndrome and dissection of the internal carotid artery after chiropractic manipulation of the neck, 523

PASQUALE, L. R.: Glaucoma the Requisites in Ophthalmology, by Alward, W. L. M. (book review), 682

PATIL, R. V., YU, H., GORDON, M., and WAX, M. B.: T cell subsets and sIL-2R/IL-2 levels in patients with glaucoma, 421

PATTERSON, J. A., EZRA, E., and GREGOR, Z. J.: Acute full-thickness macular hole after uncomplicated phacoemulsification cataract surgery, 799

PEPOSE, J. S.: *See* SEGAL, W. A., 184

PFLUGFELDER, S. C.: *See* YEN, M. T., 314

PHILLIPS, P. C.: *See* BALCER, L. J., 442

PIERAMICI, D. J.: *See* AU EONG, K.-G., 244, 664

PIERAMICI, D. J.: *See* FUJII, G. Y., 90, 272

PIKKEL, J. *See* OPHIR, A., 13

PIRIYAWAT, P.: *See* KAIBORIBOON, K., 674

PIRNAZAR, J. R.: *See* SEGAL, W. A., 184

PIVETTI-PEZZI, P.: *See* READ, R. W., 647

PLESS, M.: *See* EGAN, R. A., 237

PLUMMER, D. J., BARTSCH, D.-U. G., AZEN, S. P., MAX, S., SADUN, A. A., and FREEMAN, W. R.: Retinal nerve fiber layer evaluation in human immunodeficiency virus–positive patients, 216

PODHAJSKY, P.: *See* HAYREH, S. S., 61

PONS, M. E., ROTHMAN, R. F., GÜRSES-ÖZDEN, R., LIEBMANN, J. M., and RITCH, R.: Vitreous opacities affecting scanning laser polarimetry measurements, 511

POSTEL, E. A.: *See* HAUPERT, C. L., 208

POTTER, M. J., MYCKATYN, S. O., MABERLEY, A. L., and LEE, A. S.: Vitrectomy for pars planitis complicated by vitreous hemorrhage: visual outcome and long-term follow-up, 514

Q

QUIGLEY, H. A.: *See* PACZKA, J. A., 188

R

RAGHUVEER, C. V.: *See* BOUVIER, D'S., 279

RAJA, S.: A Practical Guide to Minimal Surgery for Retinal Detachment, Volume 2, by Kreissig, I. (book review), 530

RAM, J.: *See* KAUSHIK, S., 140

RANK, R. M.: *See* JONAS, J. B., 427

RAO, G. N.: *See* SRIDHAR, M. S., 255

RAO, N. A.: *See* DiLORETO, D. A., 138

RAO, N. A.: *See* INOMATA, H., 607

RAO, N. A.: *See* READ, R. W., 599, 647

READ, R. W., HOLLAND, G. N., RAO, N. A., TABBARA, K. F., OHNO, S., ARELLANES-GARCIA, L., PIVETTI-PEZZI, P., TESSLER, H. H., and USUI, M.: Revised diagnostic criteria for Vogt-Koyanagi-Harada disease: report of an international committee on nomenclature, 647

READ, R. W., RECHODOUNI, A., BUTANI, N., JOHNSTON, R., LABREE, L. D., SMITH, R. E., and RAO, N. A.: Complications and prognostic factors in Vogt-Koyanagi-Harada disease, 599

REBOUÇAS MARTINS, S. A., MUCCIOLI, C., BELFORT, R., and CASTELO, A.: Resolution of microsporidial keratoconjunctivitis in an AIDS patient treated with highly active antiretroviral therapy, 378

RECHODOUNI, A. *See* READ, R. W., 599

RICOY, J. R.: *See* MENCÍA-GUTIÉRREZ, E., 281

RIEMANN, C. D.: *See* KAISER, P. K., 44

RITCH, R.: *See* GANDHI, P. D., 417

RITCH, R.: *See* INAZUMI, K., 446

RITCH, R.: *See* PONS, M. E., 511

ROBINSON, M. R.: *See* FINE, H. F., 394

ROBINSON, M. R.: *See* VELEZ, G., 396

ROMANOWSKI, E. G.: *See* DHALIWAL, D. K., 506

ROOTMAN, J.: *See* SELVA, D., 364

ROSENBAUM, J. T.: *See* JABS, D. A., 679

ROSENOW, J.: *See* PAGER, C. K., 517

ROTH, D. B., ESTAFANOUS, M., and LEWIS, H.: Macular translocation of subfoveal choroidal neovascularization in angioid streaks, 390

ROTHMAN, R. F.: *See* PONS, M. E., 511

ROWSEY, J. J.: Handbook of LASIK Surgery, by Vajpayee, R. B., Dada, T., Snibson, G. R., and Taylor, H. (book review), 530

ROY, C. E.: *See* VELEZ, G., 396

RUBOWITZ, A. and ASSIA, E.: Cataract surgery performed with continuous positive airway pressure (CPAP) ventilation, 128

RUSH, D. P.: *See* ABROMS, A. D., 111

RÜSSMANN, W.: *See* NEUGEBAUER, A., 359

S

SADUN, A.: *See* PLUMMER, D. J., 216

SARIN, L. K.: *See* PAGER, C. K., 517

SATO, K., and YOSHIKAWA, H.: Bilateral abducens nerve paresis associated with anti-GQ1b IgG antibody, 816

SAWADA, H.: *See* KADONOSONO, K., 203

SCHACHAT, A. P.: *See* AU EONG, K.-G., 244

SCHACHAT, A. P.: *See* FUJII, G. Y., 90

SCHAUMBERG, D. A. *See* BALARAM, M., 30

SCHEIN, O. D.: *See* SCOTT, I. U., 584, 598

SCHNEIDER, U.: *See* GELISKEN, F., 518

SCHOFF, E. O. *See* BRUBAKER, R. F., 19

SCHUHR, J.: *See* STEWART, W. C., 631

SCHULZER, M.: *See* DRANCE, S., 699

SCHWARTZ, G. F.: Ophthalmic Fundamentals: Glaucoma, by Sassani, J. W. (ed.) (book review), 405

SCHWARTZ, S. D. *See* PARWAR, B. L., 523

SCOTT, I. U., FLYNN, H. W., and HUGHES, J. R.: Echographic evaluation of a patient with diabetes and dense vitreous hemorrhage: An avulsed retinal vessel may mimic a tractional retinal detachment, 515

SCOTT, I. U., SCHEIN, O. D., FEUER, W. J., FOLSTEIN, M. F., and BANDEEN-ROCHE, K.: Emotional distress in patients with retinal disease, 584

SCOTT, I. U., SCHEIN, O. D., FEUER, W. J., FOLSTEIN, M. F.: Visual hallucinations in patients with retinal disease, 590

SEAH, S. K. L.: *See* WONG, T. Y., 176

SEARS, J. E.: *See* KAISER, P. K., 44

SECCHI, A.: *See* VERIN, P. H., 691

SEE, J. L. S.: *See* AUNG, T., 636

SEGAL, W. A., PIRNAZAR, J. R., ARENS, M., and PEPOSE, J. S.: Disinfection of Goldmann tonometers after contamination with hepatitis C virus, 184

SELA, L. *See* HOROWITZ, J., 673

SELHORST, J. B.: *See* KAIBORIBOON, K., 674

SELVA, D., STRIANESE, D., BONAVOLONTA, G., and ROOTMAN, J.: Orbital venous-lymphatic malformations (lymphangiomas) mimicking cavernous hemangiomas, 364

SHAH, C. V., JONES, D. B., and HOLZ, E. R.: *Microspaeropsis olivacea* keratitis and consecutive endophthalmitis, 142

SHAIKH, S. and BLUMENKRANZ, M. S.: Fluorescein angiographic findings in ocular siderosis, 136

SHAIKH, S., TA, C., BASHAM, A. A., and MANSOUR, S.: Leber hereditary optic neuropathy associated with antiretroviral therapy for human immunodeficiency virus infection, 143

SHARMA, N.: *See* DADA, T., 507

SHARMA, S.: *See* SRIDHAR, M. S., 255

SHARPE, E. D.: *See* STEWART, W. C., 339

SHEEN, N. J. L., ALDRIDGE, C., DRASDO, N., NORTH, R. V., and MORGAN, J. E.: The effects of astigmatism and working distance on optic nerve head images using a Heidelberg Retina Tomograph scanning laser ophthalmoscope, 716

SHEN, D.: *See* BUGGAGE, R. R., 381

SHIELDS, C. L.: *See* DEMIRCI, H., 521

SHIELDS, C. L.: *See* HONAVAR, S. G., 277

SHIELDS, C. L.: *See* SHIELDS, J. A., 561, 572

SHIELDS, J. A.: *See* DEMIRCI, H., 521

SHIELDS, J. A.: *See* HONAVAR, S. G., 277

SHIELDS, J. A., SHIELDS, C. L., HONAVAR, S. G., and DEMIRCI, H.: Clinical variations and complications of Coats disease in 150 cases: the 2000 Sanford Gifford memorial lecture, 561

SHIELDS, J. A., SHIELDS, C. L., HONAVAR, S. G., DEMIRCI, H., and CATER, J.: Classification and management of Coats disease: the 2000 Proctor lecture, 572

SHIELDS, M. B.: The Shape of Glaucoma. Quantitative Neural Imaging Techniques, by Lemij, H. G., and Schuman, J. S. (eds.) (book review), 821

SHIMAZAKI, J.: *See* HANADA, K., 324

SHIMMURA, S.: *See* HANADA, K., 324

SHIMOMURA, Y.; *See* INOUE, T., 431

SHINODA, K., OHDE, H., MASHIMA, Y., INOUE, R. ISHIDA, S., INOUE, M., KAWASHIMA, S., and OGUCHI, Y.: On- and off-responses of the photopic electroretinograms in x-linked juvenile retinoschisis, 489

SHIOKAWA, A.: *See* KATO, S., 301

SHIRAGA, F.: *See* OHTSUKI, H., 117, 270

SHROYER, N. F., LEWIS, R. A., and LUPSKI, J. R.: Analysis of the *ABCR (ABCA4)* gene in 4-aminoquinoline retinopathy: is retinal toxicity by chloroquine and hydroxychloroquine related to Stargardt disease?, 761

SHTERNFELD, I. S.: *See* GROSTERN, R. J., 788

SHULTS, W. T.: *See* EGAN, R. A., 237

SILVEIRA, C., BELFORT, R., MUCCIOLI, C., ABREU, M. T., MARTINS, M. C., VICTORA, C., NUSSENBLATT, R. B., and HOLLAND, G. N.: A follow-up study of *Toxoplasma gondii* infection in Southern Brazil, 351

SILVER, D. M.: *See* GEYER, O., 198

SILVERBERG, M., and DEMER, J.: Duane's syndrome with compressive denervation of the lateral rectus muscle, 146

SIMON, P.: *See* GLACET-BERNARD, A., 78

SIU, K. K.: *See* GRUNWALD, J. E., 751

SLAKTER, J. S.: *See* YANYALI, A. C., 386

SLAMOVITS, T.: *See* FROHMAN, L., 662

SLIM, R.: *See* DeANGELIS, M. M., 355

SMADJA, D.: *See* MERLE, H., 305

SMIDDY, W. E., MADY, M., and ANAGNOSTE, S.: Acrylic intraocular lens placement in conjunction with pars plana vitrectomy, 748

SMITH, J. A.: *See* BUGGAGE, R. R., 309, 381

SMITH, J. A.: *See* FINE, H. F., 394

SMITH, R. E. *See* COLLINS M. J., 1

SMITH, R. E.: *See* READ, R. W., 599

SNYERS, B.: *See* VEROUGSTRAETE, C., 223

SÖFKER, A.: *See* JONAS, J. B., 468

SONG, A., McCULLEY, T. J., LAM, B. L., FEUER, W. J., MILLER, D., and ALFONSO, E. C.: *Pseudomonas aeruginosa* in vitro corneal isolate sensitivity to ofloxacin, ciprofloxacin, and trovafloxacin: a comparative study, 795

SONODA, S.: *See* KAKIUCHI-MATSUMOTO, T., 345

SOONG, H. K., MEYER, R. F., and SUGAR, A.: Small, overlapping tectonic keratoplasty involving graft host junction of penetrating keratoplasty (correspondence), 290

SORENSON, J. A.: *See* YANYALI, A. C., 386

SOTO, A. M., and MENDÍVIL, M. P.: The effect of topical povidone–iodine, intraocular vancomycin, or both on aqueous humor cultures at the time of cataract surgery, 293

SOUBRANE, G.: *See* GLACET-BERNARD, A., 78

SPALTON, D. J.: Reply to KÜCHLE, M., and NAUMANN, G. O. H.: Pseudoexfoliation and posterior capsular opacification (correspondence), 820

SPRY, P. G. D., GIBBS, M. L., JOHNSON, C. A., and HOWARD, D. L.: Frequency doubling perimetry using a liquid crystal display, 332

SRIDHAR, M. S., SHARMA, S., GARG, P., and RAO, G. N.: Epithelial infectious crystalline keratopathy, 255

SRINIVASAN, S., FERN, A., WATSON, W. H., and McCOLL, M. D.: Reversal of nonarteritic anterior ischemic optic neuropathy associated with coexisting primary antiphospholipid syndrome and Factor V Leiden mutation, 671

STANGER, O.: *See* WEGER, M., 290

STANGOS, N. T.: *See* KONSTAS, A. G. P., 729

STEIN, R. M.: *See* HAWKINS, A. S., 257

STERNBERG, P.: *See* HEJNY, C., 782

STEUER, E. R.: *See* HAUPERT, C. L., 208

STEWART, J. A.: *See* STEWART, W. C., 339, 631

STEWART, W. C., DAY, D. G., STEWART, J. A., SCHUHR, J., and LATHAM, K. E.: The efficacy and safety of latanoprost 0.005% once daily versus brimonidine 0.2% twice daily in open-angle glaucoma or ocular hypertension, 631

STEWART, W. C., HOLMES, K. T., and JOHNSON, M. A.: Washout periods for brimonidine 0.2% and latanoprost 0.005%, 798

STEWART, W. C., SHARPE, E. D., STEWART, J. A., HOLMES, K. T., and LATHAM, K. E.: Additive efficacy of unoprostone isopropyl 0.12% (Rescula) to latanoprost 0.005%, 339

STEWART, W. C.: *See* KONSTAS, A. G. P., 729

STRIANESE, S.: *See* SELVA, D., 364

STUDIES OF OCULAR COMPLICATIONS OF AIDS RESEARCH GROUP, and AIDS CLINICAL TRIALS GROUP: The ganciclovir implant plus oral ganciclovir versus parenteral cidofovir for the treatment of cytomegalovirus retinitis in patients with acquired immunodeficiency syndrome: The Ganciclovir Cidofovir Cytomegalovirus Retinitis Trial, 457

STULTING, R. D. *See* COLLINS M. J., 1

SUGAR, A.: *See* SOONG, H. K., 290

SULLIVAN, T. J.: *See* TODD, B., 818

SUZUKI, M.: *See* IMAMURA, Y., 379

SUZUKI, T.: *See* ASAMI, T., 134

SUZUKI, T.: *See* KATO, K., 812

T

TA, C.: *See* SHAIKH, S., 143

TABBARA, K. F.: *See* READ, R. W., 647

TAMESIS, R.: *See* LANGIONE, R. R., 822

TAN, D. T. H.: *See* WONG, T. Y., 176

TANJI, T.: *See* KOKAME, G. T., 384

TANO, Y.: *See* AU EONG, K.-G., 244

TANO, Y.: *See* FANG, X. Y., 481

TANO, Y.: *See* FUJIKADO, T., 101

TANO, Y.: *See* INOUE, T., 431

TANO, Y.: *See* KUSAKA, S., 388

TAYLOR, H.: *See* MALLARI, L. T., 131

TERASAKI, H.: *See* ASAMI, T., 134

TERASAKI, H.: *See* KATO, K., 812

TERSIS, I.: *See* KONSTAS, A. G. P., 729

TESSLER, H. H.: *See* READ, R. W., 647

TEZEL, T. H.: *See* DEL PRIORE, L. V., 472

THOMAS, D., THOMAS, R., MULIYIL, J., and GEORGE, R.: Role of frequency doubling perimetry in detecting neuro-ophthalmic visual field defects, 734

THOMAS, M. A.: *See* AU EONG, K.-G., 244

THOMAS, M. A.: *See* FUJII, G. Y., 272

THOMAS, R.; *See* THOMAS, D., 734

THOMPSON, H.: *See* KAUFMAN, H. E., 643

THOMPSON, J. T.: Retinal pigment epithelial tear after transpupillary thermotherapy for choroidal neovascularization, 662

THOMPSON, K. P. *See* COLLINS M. J., 1

THOMPSON, S., OMPHROY, L., and OETTING, T.: Parinaud's oculoglandular syndrome attributable to an encounter with a wild rabbit, 283

TODA, I.: *See* HORI-KOMAI, Y., 254

TODD, B., SULLIVAN, T. J., and GOLE, G. A.: Delayed orbital hemorrhage after routine strabismus surgery, 818

TONG, P.: *See* ABROMS, A. D., 111

TOPOUZIS, F.: *See* KARADIMAS, P., 126

TOPOUZIS, F.: *See* KONSTAS, A. G. P., 729

TORIS, C. B., ZHAN, G.-L., ZHAO, J., CAMRAS, C. B., and YABLONSKI, M. E.: Potential mechanism for the additivity of pilocarpine and latanoprotst, 722

TOSHIDA, H.: *See* KAUFMAN, H. E., 643

TOTH, C. A.: *See* AU EONG, K.-G., 244

TOTH, C. A.: *See* HAUPERT, C. L., 208

TOW, S.: Neuro-ophthalmology–Diagnosis and Management, by Liu, G. T., Volpe, N. J., and Baletta, S. L. (book review), 532

TRABOULSI, E. I.: *See* MATSUMOTO, M., 810

TRESE, M. T.: *See* COX, M. S., 292

TSAI, J. C., ARRINDELL, E. L., and O'DAY, D. M.: Needle aspiration and endodiathermy treatment of epithelial inclusion cyst of the iris, 263

TSUBOTA, K.: *See* HANADA, K., 324

TSUBOTA, K.: *See* HORI-KOMAI, Y., 254

U

UCHIO, E.: *See* KADONOSONO, K., 203

ULBIG, M. W.: *See* GANDORFER, A., 387

UNOKI, K.: *See* KAKIUCHI-MATSUMOTO, T., 345

USUI, M.: *See* READ, R. W., 647

V

VAJPAYEE, R. B.: *See* DADA, T., 507

VALDERRAMA, E.: *See* KODSI, S., 150

VANDENBURGH, A. M. *See* BRUBAKER, R. F., 19

VARNELL, E. D.: *See* KAUFMAN, H. E., 643

VAUGHN, S.: *See* BALCER, L. J., 442

VELEZ, G., ROY, C. E., WHITCUP, S. M., CHAN, C.-C., and ROBINSON, M. R.: High-dose intravitreal ganciclovir and foscarnet for cytomegalovirus retinitis, 396

VERIN, P. H., EASTY, D. L., SECCHI, A., CIPRANDI, G., PARTOUCHE, P., NEMETH-WASMER, G., BRANCATO, R., HARRISBERG, C. J., ESTIVIN-EBRARDT, C., COSTER, D. J., APEL, A. J. G., CORONEO, M. T., KNORR, M., CARMICHAEL, T. R., KENT-SMITH, B. T., ABRANTES, P., LEONARDI, A., CERQUETI, P. M., MODORATI, G., and MARTINEZ, M.: Clinical evaluation of twice-daily emedastine 0.05% eye drops (emadine eye drops) versus levocabastine 0.05% eye drops in patients with allergic conjunctivitis, 691

VEROUGSTRAETE, C., SNYERS, B., LEYS, A., and CASPERS-VELU, L. E.: Multiple arterial ectasias in patients with sarcoidosis and uveitis, 223

VERTEPORFIN IN PHOTODYNAMIC THERAPY STUDY GROUP: Verteporfin therapy of subfoveal choroidal neovascularization in age-related macular degeneration: two-year results of a randomized clinical trial including lesions with occult with no classic choroidal neovascularization–verteporfin in photodynamic therapy report 2, 541

VICTORA, C.: *See* SILVEIRA, C., 351

VINE, A. K.: Hyperhomocysteinemia: a risk factor for central retinal vein occlusion (correspondence), 291

VITALE, S.: *See* PACZKA, J. A., 188

VOLKER-DIEBEN, H. J. *See* ZAAL, M. J. W., 25

VOLPE, N. J.: *See* BALCER, L. J., 442

W

WALLER, S. G.: Pterygium, by Taylor, H. R. (ed.) (book review), 821

WALLER, S. G.: Pterygium Surgery, by Buratto, L., Phillips, R., and Carito, G. (eds.) (book review), 821

WARING, G. O.: Epithelial ingrowth after laser in situ keratomileusis (correspondence), 402

WARING, G. O. III. *See* COLLINS M. J., 1

WATSON, W. H.: *See* SRINIVASAN, S., 671

WAX, M. B.: *See* PATIL, R. V., 421

WEGER, M., STANGER, O., and HAAS, A.: Hyperhomocysteinemia: a risk factor for central retinal vein occlusion (correspondence), 290

WEINTRAUB, M.: *See* GEYER, O., 198

WHEATLEY, H. M.: *See* YANYALI, A. C., 386

WHITCUP, S. M.: *See* VELEZ, G., 396

WIENESEN, M. *See* ZAAL, M. J. W., 25

WILLIAMS, G. A.: *See* COX, M. S., 292

WILSON, W. B.: Choroidal folds and increased intraocular pressure (correspondence), 158

WIROSTKO, W. J.: *See* HONG, P. H., 133

WONG, T. Y., FOSTER, P. J., JOHNSON, G. J., SEAH, S. K. L., and TAN, D. T. H.: The prevalence and risk factors for pterygium in an adult Chinese population in Singapore: The Tanjong Pagar Survey, 176

Y

YABLONSKI, M. E.: *See* TORIS, C. B., 722

YAMAGUCHI, T.: *See* ENDO, S., 656

YAMANE, T.: *See* OHTSUKI, H., 117, 270

YANYALI, A. C., FREUND, K. B., SORENSON, J. A., SLAKTER, J. S., and WHEATLEY, H. M.: Tamoxifen retinopathy in a male patient, 386

YATES, K. A.: *See* DHALIWAL, D. K., 506

YAZAMA, F.: *See* KADONOSONO, K., 203

YAZICI, B., YAZICI, Z., and PARLAK, M.: Treatment of nasolacrimal duct obstruction in adults with polyurethane stent, 37

YAZICI, Z.: *See* YAZICI, B., 37

YEN, M. T., PFLUGFELDER, S. C., and FEUER, W. J.: The effect of punctal occlusion on tear production, tear clearance, and ocular surface sensation in normal subjects, 314

YIP, C.-C.: *See* AUNG, T., 636

YOSHIKAWA, H.: *See* SATO, K., 816

YOSHIMURA, N.: *See* KURIMOTO, Y., 756

YOUNG, L. S.: *See* INOUE, T., 431

YU, H.: *See* PATIL, R. V., 421

Z

ZAAL, M. J. W., VÖLKER-DIEBEN, H. J., WIENESEN, M., D'AMARO, J., and KIJLSTRA, A.: Longitudinal analysis of varicella-zoster virus DNA on the ocular surface associated with herpes zoster ophthalmicus, 25

ZACCHEI, A.: *See* BUDENZ, D. L., 626

ZADOK, D.: *See* BARKANA, Y., 796

ZAIDMAN, G. W.: *SEE* KRIVOY, D., 653

ZHAN, G.-L.: *See* TORIS, C. B., 722

ZHAO, J.: *See* TORIS, C. B., 722

ZIMBRIC, M. L.: *See* GROSTERN, R. J., 788

ZIMMERMAN, B.: *See* HAYREH, S. S., 61

A

Academic medical centers
Assessing faculty financial relationships with industry, 285
Policies on faculty conflicts of interest at US universities, 285

Adhesives
Bioadhesives for intraocular use, 536

Adie syndrome
Ross syndrome plus: beyond Horner, Holmes-Adie, and harlequin, 826

Aged, 80 and over
Intraoperative complications during cataract surgery in the very old, 538

Alternative medicine
Alternative medicine and common errors of reasoning, 824

Amniotic membrane
Amniotic membrane transplantation for severe neurotrophic corneal ulcers, 155

Amygdala
Visual field deficits in conventional anterior temporal lobectomy versus amydalohippocampectomy, 825

Animal studies
Categorical representation of visual stimuli in the primate prefrontal cortex, 825
Photochemical injury to the foveomacula of the monkey eye following argon blue–green panretinal photocoagulation, 539
Transgenic monkeys produced by retroviral gene transfer into mature oocytes, 688
Valacyclovir for the prevention of recurrent herpes simplex virus eye disease after excimer laser photokeratectomy, 686

Antioxidant therapy
Antioxidant therapy in neurologic disease, 288

Aqueous humor
Activation of a tissue-specific stress response in the aqueous outflow pathway of the eye defines the glaucoma disease phenotype, 824

Astigmatism
Laser in situ keratomileusis for correction of high astigmatism after penetrating keratoplasty, 415

B

Bardet-Biedl syndrome
Mutations in MKKS cause obesity, retinal dystrophy, and renal malformations associated with Bardet-Biedl syndrome, 156

Beaver Dam Eye Study
The epidemiology of retinal vein occlusion: The Beaver Dam Eye Study, 538

Betaxolol
Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, 155

Blindness
Entrainment of free-running circadian rhythms by melatonin in blind people, 288

Blood flow velocity
Changes in optic nerve head blood flow and retrobulbar hemodynamics following calcium-channel blocker treatment of normal-tension glaucoma, 154

Brain
Categorical representation of visual stimuli in the primate prefrontal cortex, 825
Early development of ocular dominance columns, 826
Imagery neurons in the human brain, 826
Regulation of the gain of visually guided smooth-pursuit eye movements by frontal cortex, 825

Brimonidine
Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, 155

C

Cardiovascular system
Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, 155

Cataract extraction
Incidence of postoperative posterior capsular opacification following treatment with diclofenac 0.1% and ketorolac 0.5% ophthalmic solutions: 3-year randomized, double masks, prospective clinical investigation, 686
Intraoperative complications during cataract surgery in the very old, 538
Is cataract surgery justified in patients with age-related macular degeneration? A visual function and quality of life assessment, 540

Chemokines
Chemokines and viruses: the dearest enemies, 287

Children
Ophthalmological findings in children with congenital toxoplasmosis. Report from a Swedish prospective screening study of congenital toxoplasmosis with two years of follow-up, 287

China
Mooren's ulcer in China: a study of clinical characteristics and treatment, 286

Choroid neoplasms
Cyclin-dependent kinase inhibitory protein expression in human choroidal melanoma tumors, 157

CHX10 gene
Human microphthalmia associated with mutations in the retinal homeobox gene CHX10, 156

Circadian rhythms
Entrainment of free-running circadian rhythms by melatonin in blind people, 288

Clinical trials
Conflict of interest policies for investigations in clinical trials, 411

Cones, retinal
A thyroid hormone receptor that is required for the development of green cone photoreceptors, 689

0002-9394/01/$20.00
© 2001 BY ELSEVIER SCIENCE INC. ALL RIGHTS RESERVED.

Conflict of interest
Conflict of interest policies for investigations in clinical trials, 411

Policies on faculty conflicts of interest at US universities, 285

Contact lenses
Pathogenesis and treatment of "sterile" midperipheral corneal infiltrates associated with soft contact lens use, 536

Short term wear of high Dk soft contact lenses does not alter corneal epithelial cell size or viability, 826

Validation of grading scales for contact lens complications, 539

Contraceptives, oral
Effect of oral contraceptives on tear physiology, 539

Cornea
Pathogenesis and treatment of "sterile" midperipheral corneal infiltrates associated with soft contact lens use

Recurrent erosions of the cornea, 413

The repeatability of corneal thickness measures, 413

Corneal dystrophies, hereditary
A 5-hp deletion in *ELOVL4* is associated with two related forms of autosomal dominant macular dystrophy, 689

Macular corneal dystrophy type I and type II are caused by distinct mutations in a new sulphotransferase gene, 411

Corneal stroma
A comparison of visual acuity, predictability, and visual function outcomes after intracorneal ring segments and laser in situ keratomileusis, 536

Corneal ulcers
Amniotic membrane transplantation for severe neurotrophic corneal ulcers, 155

Mooren's ulcer in China: a study of clinical characteristics and treatment, 286

Topical cyclosporin stimulates neovascularization in resolving sterile rheumatoid central corneal ulcers, 537

Cyclin-dependent kinases
Cyclin-dependent kinase inhibitory protein expression in human choroidal melanoma tumors, 157

Cyclosporin
Topical cyclosporin stimulates neovascularization in resolving sterile rheumatoid central corneal ulcers, 537

D

Demyelination
Intramuscular interferon beta-1a therapy initiated during a first demyelinating event in multiple sclerosis, 154

Denmark
Myopia profile in Copenhagen medical students 1996–98. Refractive stability over a century is suggested, 156

Diabetes mellitus
Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma?, 286

Diclofenac
Incidence of postoperative posterior capsular opacification following treatment with diclofenac 0.1% and ketorolac 0.5% ophthalmic solutions: 3-year randomized, double masks, prospective clinical investigation, 686

DNA
A novel mtDNA mutation in the ND5 subunit of complex I in two MELAS patients, 824

DNA vaccines
Control of viremia and prevention of clinical AIDS in rhesus monkeys by cytokine-augmented DNA vaccination, 412

Dynamin
Nuclear gene *OPA1*, encoding a mitochondrial dynamin-related protein, is mutated in dominant optic atrophy, 288

OPA1, encoding a dynamin-related GTPase is mutated in autosomal dominant optic atrophy linked to chromosome 3q28, 289

E

Epidemiology
Use of World Wide-Web-based directories for tracing subjects in epidemiologic studies, 827

Epilepsy
Visual field deficits in conventional anterior temporal lobectomy versus amygdalohippocampectomy, 825

Epithelium, corneal
Short term wear of high Dk soft contact lenses does not alter corneal epithelial cell size or viability, 826

Evidence-based medicine
Evidence-based medicine: principles for applying the users' guides to patient care, 153

Eye movements
An area for vergence eye movement in primate frontal cortex, 412

Regulation of the gain of visually guided smooth-pursuit eye movements by frontal cortex, 825

F

Frontal lobe
An area for vergence eye movement in primate frontal cortex, 412

Regulation of the gain of visually guided smooth-pursuit eye movements by frontal cortex, 825

G

Genetics
A 5-hp deletion in *ELOVL4* is associated with two related forms of autosomal dominant macular dystrophy, 689

Human microphthalmia associated with mutations in the retinal homeobox gene CHX10, 156

Macular corneal dystrophy type I and type II are caused by distinct mutations in a new sulphotransferase gene, 411

The mitochondrial ND6 gene is a hot spot for mutations that cause Leber's hereditary optic neuropathy, 687

Mutations in MKKS cause obesity, retinal dystrophy, and renal malformations associated with Bardet-Biedl syndrome, 156

A novel mtDNA mutation in the ND5 subunit of complex I in two MELAS patients, m824

Nuclear gene *OPA1*, encoding a mitochondrial dynamin-related protein, is mutated in dominant optic atrophy, 288

OPA1, encoding a dynamin-related GTPase is mutated in autosomal dominant optic atrophy linked to chromosome 3q28, 289

Transgenic monkeys produced by retroviral gene transfer into mature oocytes, 688

Geniculate nucleus
Early development of ocular dominance columns, 826

Genome project
"Working draft" of human genome completed, 286

Glaucoma
Activation of a tissue-specific stress response in the aqueous outflow pathway of the eye defines the glaucoma disease phenotype, 824

Changes in optic nerve head blood flow and retrobulbar hemodynamics following calcium-channel blocker treatment of normal-tension glaucoma, 154

Comparison of visual field progression in patients with normal pressure glaucoma between eyes with and without visual field loss that threatens fixation, 414

Detection of gonioscopically occludable angles and primary angle closure glaucoma by estimation of limbal chamber depth in Asians: modified grading scheme, 155

Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, 155

Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma?, 286

The role of glaucoma therapy in the need for repeat penetrating keratoplasty, 413

The sensitivity and specificity of direct ophthalmoscopic optic disc assessment in screening for glaucoma: a multivariate analysis, 412

H

Harlequin syndrome
Ross syndrome plus: beyond Horner, Holmes-Adie, and harlequin, 826

Herpes simplex
Herpes simplex virus type 1 (HSV-1)-induced retinitis following herpes simplex encephalitis: indications for brain-to-eye transmission of HSV-1, 688

Valacyclovir for the prevention of recurrent herpes simplex virus eye disease after excimer laser photokeratectomy, 686

Hip fractures
Visual impairment and risk of hip fracture, 827

Hippocampus
Visual field deficits in conventional anterior temporal lobectomy versus amygdalohippocampectomy, 825

HIV infection
Control of viremia and prevention of clinical AIDS in rhesus monkeys by cytokine-augmented DNA vaccination, 412

Horner syndrome
Ross syndrome plus: beyond Horner, Holmes-Adie, and harlequin, 826

I

Interferon
Intramuscular interferon beta-1a therapy initiated during a first demyelinating event in multiple sclerosis, 154

Internet
Use of World Wide-Web-based directories for tracing subjects in epidemiologic studies, 827

Intraoperative complications
Intraoperative complications during cataract surgery in the very old, 538

Iris
Race, iris color, and age-related macular degeneration, 537

K

Keratectomy, photorefractive, excimer laser
Valacyclovir for the prevention of recurrent herpes simplex virus eye disease after excimer laser photokeratectomy, 686

Keratomileusis, laser in situ
A comparison of visual acuity, predictability, and visual function outcomes after intracorneal ring segments and laser in situ keratomileusis, 536

Laser in situ keratomileusis for correction of high astigmatism after penetrating keratoplasty, 415

Keratoplasty, penetrating
Laser in situ keratomileusis for correction of high astigmatism after penetrating keratoplasty, 415

The role of glaucoma therapy in the need for repeat penetrating keratoplasty, 413

Ketorolac
Incidence of postoperative posterior capsular opacification following treatment with diclofenac 0.1% and ketorolac 0.5% ophthalmic solutions: 3-year randomized, double masks, prospective clinical investigation, 686

L

Latanoprost
Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, 155

Lens implantation, intraocular
Combined pars plana lensectomy-vitrectomy with open-loop flexible anterior chamber intraocular lens (AC IOL) implantation for subluxated lenses, 538

Influence of intraocular lens material and design on postoperative intracapsular cellular reactivity, 686

Light coagulation
Photochemical injury to the foveomacula of the monkey eye following argon blue–green panretinal photocoagulation, 539

Limbus corneae
Detection of gonioscopically occludable angles and primary angle closure glaucoma by estimation of limbal chamber depth in Asians: modified grading scheme, 155

M

Macular degeneration
Is cataract surgery justified in patients with age-related macular degeneration? A visual function and quality of life assessment, 540

Race, iris color, and age-related macular degeneration, 537

The role of oxidative stress in the pathogenesis of age-related macular degeneration, 414

Macular edema
Photoreceptor function in eyes with macular edema, 287

McKusick-Kaufman syndrome
Mutations in MKKS cause obesity, retinal dystrophy, and renal malformations associated with Bardet-Biedl syndrome, 156

Melanoma
Cyclin-dependent kinase inhibitory protein expression in human choroidal melanoma tumors, 157

MELAS syndrome
A novel mtDNA mutation in the ND5 subunit of complex I in two MELAS patients, m824

Melatonin
Entrainment of free-running circadian rhythms by melatonin in blind people, 288

Microphthalmia
Human microphthalmia associated with mutations in the retinal homeobox gene CHX10, 156

Migraine
Suppression of perception in migraine. Evidence for reduced inhibition in the visual cortex, 688

Mooren's ulcer
Mooren's ulcer in China: a study of clinical characteristics and treatment, 286

Multiple sclerosis
Intramuscular interferon beta-1a therapy initiated during a first demyelinating event in multiple sclerosis, 154

Myopia
A comparison of visual acuity, predictability, and visual function outcomes after intracorneal ring segments and laser in situ keratomileusis, 536

Myopia profile in Copenhagen medical students 1996–98. Refractive stability over a century is suggested, 156

N

Neoplasms
Cyclin-dependent kinase inhibitory protein expression in human choroidal melanoma tumors, 157

Intraoperative electrophysiological monitoring of oculomotor nuclei and their intramedullary tracts during midbrain tumor surgery, 415

Neovascularization, physiologic
Topical cyclosporin stimulates neovascularization in resolving sterile rheumatoid central corneal ulcers, 537

Neurologic disease
Antioxidant therapy in neurologic disease, 288

Nilvadipine
Changes in optic nerve head blood flow and retrobulbar hemodynamics following calcium-channel blocker treatment of normal-tension glaucoma, 154

O

Ocular dominance columns
Early development of ocular dominance columns, 826

Oculomotor nerve
Intraoperative electrophysiological monitoring of oculomotor nuclei and their intramedullary tracts during midbrain tumor surgery, 415

OPA1 gene
Nuclear gene *OPA1*, encoding a mitochondrial dynamin-related protein, is mutated in dominant optic atrophy, 288

OPA1, encoding a dynamin-related GTPase is mutated in autosomal dominant optic atrophy linked to chromosome 3q28, 289

Ophthalmic solutions
Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, 155

Incidence of postoperative posterior capsular opacification following treatment with diclofenac 0.1% and ketorolac 0.5% ophthalmic solutions: 3-year randomized, double masks, prospective clinical investigation, 686

Topical cyclosporin stimulates neovascularization in resolving sterile rheumatoid central corneal ulcers, 537

Ophthalmologic surgical procedures
Eye-wall resection, 685

Optic atrophies, hereditary
Leber's hereditary optic neuropathy differentially affects smaller axons in the optic nerve, 687

The mitochondrial ND6 gene is a hot spot for mutations that cause Leber's hereditary optic neuropathy, 687

Nuclear gene *OPA1*, encoding a mitochondrial dynamin-related protein, is mutated in dominant optic atrophy, 288

OPA1, encoding a dynamin-related GTPase is mutated in autosomal dominant optic atrophy linked to chromosome 3q28, 289

Optic disk
Changes in optic nerve head blood flow and retrobulbar hemodynamics following calcium-channel blocker treatment of normal-tension glaucoma, 154

The sensitivity and specificity of direct ophthalmoscopic optic disc assessment in screening for glaucoma: a multivariate analysis, 412

Optic neuropathy, ischemic
Histopathologic studies of ischemic optic neuropathy, 685

Oxidative stress
The role of oxidative stress in the pathogenesis of age-related macular degeneration, 414

P

Pars plana
Combined pars plana lensectomy-vitrectomy with open-loop flexible anterior chamber intraocular lens (AC IOL) implantation for subluxated lenses, 538

Patient care
Evidence-based medicine: principles for applying the users' guides to patient care, 153

Photocoagulation
Photochemical injury to the foveomacula of the monkey eye following argon blue–green panretinal photocoagulation, 539

Photoreceptors
Photoreceptor function in eyes with macular edema, 287

Postoperative complications
Incidence of postoperative posterior capsular opacification following treatment with diclofenac 0.1% and ketorolac 0.5% ophthalmic solutions: 3-year randomized, double masks, prospective clinical investigation, 686

Postoperative period
Influence of intraocular lens material and design on postoperative intracapsular cellular reactivity, 686

Prefrontal cortex
Categorical representation of visual stimuli in the primate prefrontal cortex, 825

Pursuit, smooth
Regulation of the gain of visually guided smooth-pursuit eye movements by frontal cortex, 825

Q

Quality of life
Is cataract surgery justified in patients with age-related macular degeneration? A visual function and quality of life assessment

R

Racial stocks
Race, iris color, and age-related macular degeneration, 537

Research
Assessing faculty financial relationships with industry, 285

Conflict of interest policies for investigations in clinical trials, 411

In whose best interest? Breaching the academic-industrial wall, 411

A national survey of policies on disclosure of conflicts of interest in biomedical research, 411

Policies on faculty conflicts of interest at US universities, 285

To protect those who serve, 411

Respiratory function
Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, 155

Retina
Photochemical injury to the foveomacula of the monkey eye following argon blue–green panretinal photocoagulation, 539

Retinal detachment
Long-term results of pneumatic retinopexy, 153

Retinal vein occlusion
The epidemiology of retinal vein occlusion: The Beaver Dam Eye Study, 538

Retinitis
Herpes simplex virus type 1 (HSV-1)-induced retinitis following herpes simplex encephalitis: indications for brain-to-eye transmission of HSV-1, 688

Retrobulbar vessels
Changes in optic nerve head blood flow and retrobulbar hemodynamics following calcium-channel blocker treatment of normal-tension glaucoma, 154

Rheumatoid disease
Topical cyclosporin stimulates neovascularization in resolving sterile rheumatoid central corneal ulcers, 537

Risk factors
Visual impairment and risk of hip fracture, 827

Ross syndrome
Ross syndrome plus: beyond Horner, Holmes-Adie, and harlequin, 826

S

Safety
Postlicensure safety surveillance for varicella vaccine, 153

Sulphotransferase gene
Macular corneal dystrophy type I and type II are caused by distinct mutations in a new sulphotransferase gene, 411

T

Tears
Effect of oral contraceptives on tear physiology, 539

Temporal lobe
Visual field deficits in conventional anterior temporal lobectomy versus amygdalohippocampectomy, 825

Thyroid hormones
A thyroid hormone receptor that is required for the development of green cone photoreceptors, 689

Timolol
Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, 155

Toxoplasmosis
Ophthalmological findings in children with congenital toxoplasmosis. Report from a Swedish prospective screening study of congenital toxoplasmosis with two years of follow-up, 287

V

Vaccines
Control of viremia and prevention of clinical AIDS in rhesus monkeys by cytokine-augmented DNA vaccination, 412

Postlicensure safety surveillance for varicella vaccine, 153

Valacyclovir
Valacyclovir for the prevention of recurrent herpes simplex virus eye disease after excimer laser photokeratectomy, 686

Varicella vaccine
Postlicensure safety surveillance for varicella vaccine, 153

Vergence eye movements
An area for vergence eye movement in primate frontal cortex, 412

Virus diseases
Control of viremia and prevention of clinical AIDS in rhesus monkeys by cytokine-augmented DNA vaccination, 412

Herpes simplex virus type 1 (HSV-1)-induced retinitis following herpes simplex encephalitis: indications for brain-to-eye transmission of HSV-1, 688

Valacyclovir for the prevention of recurrent herpes simplex virus eye disease after excimer laser photokeratectomy, 686

Viruses
Chemokines and viruses: the dearest enemies, 287

Postlicensure safety surveillance for varicella vaccine, 153

Visual acuity
A comparison of visual acuity, predictability, and visual function outcomes after intracorneal ring segments and laser in situ keratomileusis, 536

Is cataract surgery justified in patients with age-related macular degeneration? A visual function and quality of life assessment, 540

Ophthalmological findings in children with congenital toxoplasmosis. Report from a Swedish prospective screening study of congenital toxoplasmosis with two years of follow-up, 287

Photoreceptor function in eyes with macular edema, 287

Visual impairment and risk of hip fracture, 827

Visual cortex
Suppression of perception in migraine. Evidence for reduced inhibition in the visual cortex, 688

Visual fields
Comparison of visual field progression in patients with normal pressure glaucoma between eyes with and without visual field loss that threatens fixation, 414

Visual field deficits in conventional anterior temporal lobectomy versus amygdalohippocampectomy, 825

Visual perception
Categorical representation of visual stimuli in the primate prefrontal cortex, 825

Imagery neurons in the human brain, 826

Vitreous body
Acute posterior vitreous detachment: the predictive value of vitreous pigment and symptomatology, 287

W

Wounds and injuries
Visual impairment and risk of hip fracture, 827